

DRRW / DGGW 2008-2019 Publications (Open Access)

- Adero, M.O., Syombua, E.D., Asande, L.K., Amugune, N.O., Mulanda, E.S., Macharia, G. 2019. Somatic embryogenesis and regeneration of Kenyan wheat (*Triticum aestivum* L.) genotypes from mature embryo explants. *African Journal of Biotechnology* 18(27), 689-694.
- Admassu B, Friedt W, Ordon F (2012) Stem rust seedling resistance genes in Ethiopian wheat cultivars and breeding lines. *African Crop Science Journal* 20(3):149–61
- Agenbag GM, Pretorius ZA, Boyd LA, Bender CM, MacCormack R and Prins R (2014) High-resolution mapping and new marker development for adult plant stripe rust resistance QTL in the wheat cultivar Karioga. *Mol Breeding* 34:2005-2020. doi:10.1007/s11032-014-0158-4
- Agenbag GM, Pretorius ZA, Boyd LA, Bender CM, Prins R (2012) Identification of adult plant resistance to stripe rust in the wheat cultivar Cappelle-Desprez. *Theor Appl Genet* 125:109-120 doi:10.1007/s00122-012-1819-5
- Alemu, S.K., Badebo, A., Tesfaye, K., Uauy, C. 2019. Identification of stripe rust resistance in Ethiopian durum wheat by phenotypic screening and kompetitive allele specific PCR (KASP) SNP Markers. 2019. *Plant Pathol Microbiol.* 10:483. doi:10.35248/2157-7471.19.10.483
- Ali et al. 2017. Yellow Rust Epidemics Worldwide Were Caused by Pathogen Races from Divergent Genetic Lineages. *Frontiers in Plant Science*, Vol. 8, 1057, 06.2017.
- Ali S, Hodson D (2017) Wheat Rust Surveillance: Field Disease Scoring and Sample Collection for Phenotyping and Molecular Genotyping. *Methods Mol Biol.* 1659:3-11. doi:10.1007/978-1-4939-7249-4_1
- Ali S, Rodriguez-Algaba J, Thach T, Sørensen CK, Hansen JG, Lassen P, Nazari K, Hodson DP, Justesen AF, Hovmøller MS (2017) Yellow Rust Epidemics Worldwide Were Caused by Pathogen Races from Divergent Genetic Lineages. *Frontiers in Plant Science* 8:1057. doi:10.3389/fpls.2017.01057
- Allen-Sader, C., Thurston, W., Meyer, M., Nure, E., Bacha, N., Alemayehu, Y., Stutt, R., Safka, D., Craig, A.P., Derso, E., Burgin, L.E., Millington, S.C., Hort, M.C., Hodson, D.P., Gilligan, C.A., 2019. An early warning system to predict and mitigate wheat rust diseases in Ethiopia. *Environmental Research Letters* 14, 115004. doi.org/10.1088/1748-9326/ab4034
- Alsop BP, Farre A, Wenzl P, Wang JM, Zhou MX, Romagosa I, Kilian A, Steffenson BJ (2010) Development of wild barley-derived DArT markers and their integration into a barley consensus map. *Molecular Breeding* doi:10.1007/s11032-010-9415-3
- Anderson, J.A., Wiersma, J.J., Reynolds, S.K., Caspers, R., Linkert, G.L, Kolmer, J.A., Jin, Y, Rouse M.N., Dill-Macky, R., Smith, M.J., Dykes, L., Ohm, J-B. 2019. Registration of ‘Shelly’ hard red spring wheat. *Journal of Plant Registrations* 13: 199-206.
- Anderson, JA, Wiersma JJ, Linkert GL, Reynolds SK, Kolmer JA, Jin Y, Rouse M, Dill-Macky R, Hareland GA, Ohm J-B (2018) Registration of ‘Linkert’ spring wheat with good straw strength and adult plant resistance to the Ug99 family of stem rust races. *J. Plant Reg.* 12:208-214.
- Anderson, JA, Wiersma JJ, Linkert GL, Reynolds SK, Kolmer JA, Jin Y, Rouse M, Dill-Macky R, Smith MJ, Hareland GA, and Ohm JB (2018) Registration of ‘Bolles’ hard red spring wheat with high grain protein concentration and superior baking quality. *J. of Plant Registrations* 12: 215-221.

DRRW / DGGW 2008-2019 Publications (Open Access)

- Anderson, JA, Wiersma JJ, Linkert GL, Reynolds SK, Kolmer JA, Jin Y, Rouse M, Dill-Macky R, Hareland GA, and Ohm JB (2018) Registration of 'Norden' spring wheat. *J. of Plant Registrations* 12: 90-96.
- Ando, K., Krishnan, V., Ryneerson, S., Rouse, M. N., Danilova, T., Friebe, B., See, D., Pumphrey, M.O. 2019. Introgression of a novel Ug99-effective stem rust resistance gene into wheat and development of *Dasypyrum villosum* chromosome-specific markers via genotyping-by-sequencing (GBS). *Plant Disease* 103: 1068-1074.
- Aoun M, Kolmer JA, Rouse MN, Chao S, Bulbula WD, Elias EM, Acevedo M (2017) Inheritance and bulked segregant analysis of leaf rust and stem rust resistance in durum wheat genotypes. *Phytopathology* 107:1496-1506.
- Aoun, M., Kolmer, J. A., Rouse, M. N., Elias, E. M., Breiland, M., Bulbula, W. D., Chao, S., Acevedo, M. 2019. Mapping of novel leaf rust and stem rust resistance genes in the Portuguese durum wheat landrace PI 192051. *G3: Genes, Genomes, Genetics* 9: 2535-2547.
- Arjona J.M., Royo, C., Dreisigacker, S., Ammar, K., Subirà, J., and Villegas, D. 2019. Effect of allele combinations at Ppd-1 loci on durum wheat grain filling at contrasting latitudes. *J Agro Crop Sci.* 2019;00:1–12. DOI: 10.1111/jac.12363.
- Arjona JM, Royo C, Dreisigacker S, Ammar K and Villegas D (2018) Effect of Ppd-A1 and Ppd-B1 Allelic Variants on Grain Number and Thousand Kernel Weight of Durum Wheat and Their Impact on Final Grain Yield. *Frontiers in Plant Science.* doi:10.3389/fpls.2018.00888
- Ayliffe M, Devilla R, Mago R, White R, Talbot M, Pryor A, Leung H (2011) Non-host resistance of rice to rust pathogens. *Molecular Plant Microbe Interactions* 24:1143–1155
- Ayliffe M, Jin Y, Kang Z, Persson M, Steffenson BJ, Wang S, Leung H (2011) Determining the basis of nonhost resistance in rice to cereal rusts. *Euphytica* 179:33–40
- Ayliffe M, Periyannan SK, Feechan A, Dry I, Schumann U, Wang M, Pryor T and Lagudah E (2014) Simple quantification of in planta fungal biomass.) *Methods in Molecular Biology*, 127:159-72. doi:10.1007/978-1-62703-986-4_13
- Azmeraw Y., Admassu, B., Abeyo, B. and Bacha, N. 2020. Virulence Spectrum of *Puccinia graminis f. sp. tritici* in Northwest Ethiopia. *Ethiop. J. Agric. Sci.* 30:87-97.
- Babiker EM, Gordon TC, Bonman JM, Chao S, Rouse MN, Jin Y, Newcomb M, Wanyera R, Bhavani S (2017) Genetic Loci Conditioning Adult Plant Resistance to the Ug99 Race Group and Seedling Resistance to Races TRTTF and TTTTF of the Stem Rust Pathogen in Wheat Landrace Citr 15026. *Plant Disease* 101 3 496-501
- Babiker EM, Gordon TC, Chao S, Newcomb M, Rouse MN, Jin Y, Wanyera R, Acevedo M, Brown-Guedira G, Williamson S and Bonman JM (2015) Mapping resistance to the Ug99 race group of the stem rust pathogen in a spring wheat landrace. *Theoretical and Applied Genetics* Apr 2015, Volume 128, 605-612. doi:10.1007/s00122-015-2456-6
- Babiker EM, Gordon TC, Chao S, Rouse MN, Wanyera R, Acevedo M, Brown-Guedira G, Bonman JM (2017) Molecular mapping of stem rust resistance loci effective against the Ug99 race group of the stem rust pathogen and validation of a single nucleotide polymorphism marker linked to stem rust resistance gene *Sr28*. *Phytopathology* 107:208-215.

DRRW / DGGW 2008-2019 Publications (Open Access)

- Babiker EM, Gordon TC, JBonman JM, Chao S, Rouse MN, Brown-Guedira G, Williamson S and Pretorius ZA (2016) Rapid identification of resistance loci effective against *Puccinia graminis* f. sp. *tritici* race TTKSK in 33 spring wheat landraces. *Plant Disease* 100:331-336
- Bailey J, Karaoglu H, Wellings CR, Park RF (2015). PCR-based simple sequence repeat markers for diagnostic identification of major clonal lineages of *Puccinia striiformis* f. sp. *tritici* and related stripe rust pathogens in Australia. *Australasian Plant Pathology* 44: 97-103
- Bajgain P, Rouse MN, Bhavani S, Anderson JA (2015) QTL mapping of adult plant resistance to Ug99 stem rust in the spring wheat population RB07/MN06113-8. *Molecular Breeding* 35:170. doi:10.1007/s11032-015-0362-x
- Bajgain P, Rouse MN, Bulli P, Bhavani S, Gordon TC, Wanyera R, Njau P, Legesse W, Anderson J, Pumphrey M (2015) Association mapping of North American spring wheat breeding germplasm reveals loci conferring resistance to Ug99. *BMC Plant Biology* 15:249. doi:10.1186/s12870-015-0628-9
- Bajgain P, Rouse MN, Tsilo TJ, Macharia GK, Bhavani S, Jin Y, et al. (2016) Nested Association Mapping of Stem Rust Resistance in Wheat Using Genotyping by Sequencing. *PLoS ONE* 11(5): e0155760. doi:10.1371/journal.pone.0155760
- Bansal UK, Hayden MJ, Keller B, Wellings CR, Park RF, Bariana HS (2009) Relationship between wheat rust resistance genes Yr1 and Sr48 and a microsatellite marker. *Plant Pathology* 58:1039-1043
- Bansal UK, Kazi AG, Singh B, Hare R, Bariana HS (2014) Mapping of durable stripe rust resistance in a durum wheat cultivar Wollaroi. *Mol Breed* 33:51-59
- Bansal UK, Muhammad S, Forrest KL, Hayden MJ, Bariana HS (2015) Mapping of a new stem rust resistance gene *Sr49* in chromosome 5B of wheat. *Theoretical and Applied Genetics* 128:2113 –2119
- Bansal UK, Wicker T, Keller B, Hayden M, Bariana HS (2014) Molecular mapping of an adult plant stem rust resistance gene *Sr56* in winter wheat cultivar Arina. *Theor Appl Genet* 127:1441-1448
- Bansal UK, Zwart R, Bhavani S, Wanyera R, Gupta V, Bariana HS (2011) Genetics and chromosomal location of Ug99-effective stem rust resistance in the wheat cultivar VL404. *Molecular Breeding* ISSN:1380-3743
- Baraibar, S., García, R., Silva, P., Lado, B., Castro, A., Gutiérrez, L., Kavanová, M., Quincke, M., Bhavani, S., Randhawa, M.S., Germán, S. 2019. QTL mapping of resistance to Ug99 and other stem rust races in bread wheat. *Mol Breeding* (accepted).
- Barbour M, Bachmann S, Bansal UK, Bariana HS, Sharp PJ (2015) Genetic control of mesophyll conductance in common wheat. *New Phytologist* 209:461-465
- Bari A, Amri A, Street K, Mackaay M, De Pauw E, Sanders R, Nazari K, Humeid B, Konopka J and Alo F (2014) Predicting resistance to stripe (yellow) rust (*Puccinia striiformis*) in wheat genetic resources using focused identification of germplasm strategy. *Journal of Agricultural Science*, 1- 11. doi:10.1017/S0021859613000543
- Basnet BR, Crossa J, Dreisigacker S, Pérez-Rodríguez P, Manes Y, Singh RP, Rosyara UR, Camarillo-Castillo F and Murua M (2018) Hybrid wheat prediction using genomic, pedigree and environmental covariables interaction models. *The Plant Genome*. In press. doi:10.3835/plantgenome2018.07.0051

DRRW / DGGW 2008-2019 Publications (Open Access)

- Basnet BR, Ibrahim AMH, Chen X, Singh RP, Mason ER, Bowden RL, Liu S, Hays DB, Devkota RN, Subramanian NK and Rudd JC (2014) Molecular mapping of stripe rust resistance in hard red winter wheat TAM 111 adapted to the U.S. high plains. *Crop Sci.* 54:1–13. doi:10.2135/cropsci2013.09.0625
- Basnet BR, Lopez-Vera EE, Singh RP, Huerta-Espino J, Bhavani S, Jin Y, Rouse MN and Singh S (2014) Molecular mapping and validation of *SrND643*: a new gene effective against stem rust race Ug99 in bread wheat. *Phytopathology* 105:470-476
- Basnet BR, Singh RP, Ibrahim AMH, Herrera-Foessel SA, Huerta-Espino J, Lan C and Rudd JC (2014) Characterization of *Yr54* and other genes associated with adult plant resistance to yellow rust and leaf rust in common wheat Quaiu 3. *Mol Breeding* 33:385-399. doi:10.1007/s11032-013-9957-2
- Battenfield SD, Sheridan JL, Silva LDCE, Miclaus KJ, Dreisigacker S, Wolfinger RF, Peña RJ, Singh RP, Jackson EW, Fritz AK, Guzman C and Poland JA (2018) Breeding-assisted genomics: Applying meta-GWAS for milling and baking quality in CIMMYT wheat breeding program. *PLoS ONE* 13 (11): e0204757. doi:10.1371/journal.pone.0204757
- Beddow JM, Pardey PG, Chai Y, Hurley TM, Kriticos DJ, Braun H-J, Park RF, Cuddy WS, Yonow T (2015) Research investment implications of shifts in the global geography of wheat stripe rust. *Nature Plants* 1:15132
- Bender CM, Prins R and Pretorius ZA (2016) Development of a greenhouse screening method for adult plant resistance in wheat to stem rust. *Plant Disease* 100:1627-1633
- Bhatta M, Morgounov A, Belamkar V and Baenziger PS (2018) Genome-wide association study reveals novel genomic regions for grain yield and yield-related traits in drought-stressed synthetic hexaploid wheat. *International Journal of Molecular Sciences*, 19 (10), art. no. 3011. doi:10.3390/ijms19103011
- Bhatta M, Morgounov A, Belamkar V, Poland J and Baenziger PS (2018) Unlocking the novel genetic diversity and population structure of synthetic Hexaploid wheat. *BMC Genomics*, 19 (1), art. no. 591. doi:10.1186/s12864-018-4969-2
- Bhatta M, Stephen Baenziger P, Waters BM, Poudel R, Belamkar V, Poland J, Morgounov A (2018) Genome-wide association study reveals novel genomic regions associated with 10 grain minerals in synthetic hexaploid wheat. *International Journal of Molecular Sciences*, 19 (10), art. no. 3237. doi:10.3390/ijms19103237.
- Bhatta, M., Morgounov A., Belamkar, V., et al. Genome-Wide Association Study for Multiple Biotic Stress Resistance in Synthetic Hexaploid Wheat. 2019. *Int J Mol Sci.* 20(15):3667. Published 2019 Jul 26. doi:10.3390/ijms20153667
- Bhavani, S., Hodson, D.P., Huerta-Espino J., Randhawa, M.S., Singh, R.P. 2019. Progress in breeding for resistance to Ug99 and other races of the stem rust fungus in CIMMYT wheat germplasm. *Frontiers of Agricultural Science and Engineering*. <https://doi.org/10.15302/J-FASE-2019268>.
- Brar GS, Fuentes-Dávila G, He X, Sansaloni CP, Singh RP and Singh PK (2018) Genetic mapping of resistance in hexaploid wheat for a quarantine disease: Karnal bunt. *Front. Plant Sci.* 9:1497. doi.org/10.3389/fpls.2018.01497

DRRW / DGGW 2008-2019 Publications (Open Access)

- Briggs J, Chen S, Zhang W, Nelson S, Dubcovsky J and Rouse MN. (2015) Genetic mapping of *SrTm4*, a recessive stem rust resistance gene from diploid wheat effective to Ug99. *Phytopathology* 105:1347-1354
- Bueno-Sancho V, Persoons A, Hubbard A, Cabrera-Quio LE, Lewis CM, Corredor-Moreno P, Bunting DCE, Ali S, Chng S, Hodson DP, Burrows RM, Bryson R, Thomas J, Holdgate S, Saunders DGO (2017) Pathogenomic analysis of wheat yellow rust lineages detects seasonal variation and host specificity. *Genome Biology and Evolution*, 9(12):3282–3296. doi.org/10.1093/gbe/evx241
- Cabral AL and Park RF (2014) Seedling resistances to *Puccinia coronata* f. sp. *avenae* in *Avena strigosa*, *A. barbata* and *A. sativa*. *Euphytica* 196: 385-395
- Cabral AL, Karaoglu H, Park RF (2013) The use of microsatellite polymorphisms to characterise and compare genetic variability in *Avena strigosa* and *A. barbata*. *Genet Resour Crop Evol* 60:1153. doi:10.1007/s10722-012-9911-x
- Cabral AL, Singh D, Park RF (2011) Identification and genetic characterisation of adult plant resistance to crown rust in diploid and tetraploid accessions of *Avena*. *Annals of Applied Biology* 159:220–228
- Calvo-Salazar V, Singh RP, Huerta-Espino J, Cruz-Izquierdo S, Lobato-Ortiz R, Sandoval-Islas S, Vargas-Hernández M, German S, Silva P, Basnet BR, Lan CX and Herrera-Foessel SA (2015) Genetic analysis of resistance to leaf rust and yellow rust in spring wheat cultivar Kenya Kongoni. *Plant Dis* 99:1153-1160. doi:10.1094/PDIS-07-14-0718-RE
- Campbell, J, Giroux MJ, Feiz L, Jin Y, Wang M, Chen X, Huang L (2012) A new broad-spectrum disease resistance locus in wheat (*Triticum aestivum* L.). *Theor Appl Genet* 125:391-404
- Cantu D, Govindarajulu M, Kozik A, Wang M, Chen X, Kojima K, Jurka J, Michelmore RW, Dubcovsky J (2011) Next generation sequencing provides rapid access to the genome of *Puccinia striiformis* f. sp. *tritici*, the causal agent of wheat stripe rust. *PLoS ONE* 6(8):e24230. doi:10.1371/journal.pone.0024230
- Carmona, M.A., et al., 2019. Rapid emergency response to yellow rust epidemics caused by newly introduced lineages of *Puccinia striiformis* f.sp. *tritici* in Argentina. *Trop. Plant Pathol.* 44, 385–39. <https://doi.org/10.1007/s40858-019-00295-y>
- Case AJ, Bhavani S, Macharia G, Pretorius Z, Coetzee V, Kloppers F, Tyagi P, Brown-Guedira G, Steffenson BJ (2018) Mapping adult plant stem rust resistance in barley accessions Hietpas-5 and GAW-79 2018. *Theoretical and Applied Genetics* 131 10 2245 2266. doi:10.1007/s00122-018-3149-8
- Case AJ, Bhavani S, Macharia G, Steffenson BJ (2017) Genome-wide association study of stem rust resistance in a world collection of cultivated barley. *Theor Appl Genet* 131(1):107-126. doi: 10.1007/s00122-017-2989-y
- Cawood ME, Pretorius JC, van der Westhuizen AJ, Pretorius ZA (2010) Disease development and PR-protein activity in wheat (*Triticum aestivum*) seedlings treated with plant extracts prior to leaf rust (*Puccinia triticina*) infection. *Crop Protection* 29:1311-1319 doi:10.1016/j.cropro.2010.06.017
- Chai Y, Nirmala J, Kleinhofs A, Steffenson B (2012) Failure of RPG1 protein to degrade in high-copy Rpg1 transgenic barley lines results in susceptibility to stem rust. *Physiol Molec Plant Pathol* 80:10-18
- Chakraborty S, Luck J, Hollaway G, Fitzgerald G, Neil White N (2011) Rust-proofing wheat for a changing climate. *Euphytica* 179:19–32

DRRW / DGGW 2008-2019 Publications (Open Access)

- Chen S, Guo Y, Briggs J, Dubach F, Chao S, Zhang W, Rouse MN, Dubcovsky J (2018) Mapping and characterization of wheat stem rust resistance genes *SrTm5* and *Sr60* from *Triticum monococcum*. *Theor. Appl. Genet.* 131:625-635.
- Chen S, Rouse MN, Zhang W, Jin Y, Akhunov E, Wei Y and Dubcovsky J (2015) Fine mapping and characterization of *Sr21*, a temperature-sensitive diploid wheat resistance gene effective against the *Puccinia graminis* f. sp. *tritici* Ug99 race group. *Theor Appl Genet* 128:645-656
- Chen S, Zhang W, Bolus S, Rouse MN, Dubcovsky J (2018) Identification and characterization of wheat stem rust resistance gene *Sr21* effective against the Ug99 race group at high temperature. *PLoS Genet* 14:e1007287
- Chen, S., Rouse, M. N., Zhang, W., Zhang, X., Guo, Y., Briggs, J., Dubcovsky, J. 2020. Wheat gene *Sr60* encodes a protein with two putative kinase domains that confers resistance to stem rust. *New Phytologist* 225: 948-959.
- Chowdhury AK, Saharan MS, Aggrawal R, Malaker PK, Barma NCD, Tiwari TP, Duveiller E, Singh PK, Srivastava AK, Sonder K, Singh RP, Braun HJ, Joshi AK (2017) Occurrence of wheat blast in Bangladesh and its implications for South Asian wheat production. *Indian J. Genet.* 77: 1-9. doi:10.5958/0975-6906.2017.00001.3
- Crain J, Mondal S, Rutkoski J, Singh RP and Poland J (2018) Combining high-throughput phenotyping and genomic information to increase prediction and selection accuracy in wheat breeding. *Plant Genome* 11:170043 (p 1-14). doi:10.3835/plantgenome2017.05.0043
- Crain J, Reynolds M, Poland J (2017) Utilizing high-throughput phenotypic data for improved phenotypic selection of stress-adaptive traits in wheat. *Crop Science* 57(2):648-659. doi:10.2135/cropsci2016.02.0135
- Crespo-Herrera L., Gerard G., Crossa, J., Mondal, S., Govindan, V., Juliana, P., Huerta-Espino, J., Hernández, M.V., Randhawa, M., Bhavani, S., Braun, H-J., Singh, R.P. 2020. Grain yield genetic gains and changes in physiological related traits for CIMMYT's high rainfall wheat screening nursery tested across international environments. *Field Crops Research* doi:10.1016/j.fcr.2020.107742.
- Crespo-Herrera LA, Crossa J, Huerta-Espino J, Autrique E, Mondal S, Velu G, Vargas M, Braun HJ, Singh RP (2017) Genetic yield gains in CIMMYT's international Elite Spring Wheat Yield Trials by modeling the genotype x environment interaction. *Crop Sci.* 57:789–801. doi:10.2135/cropsci2016.06.0553
- Crespo-Herrera LA, Crossa J, Huerta-Espino J, Vargas M, Mondal S, Velu G, Payne TS, Braun H and Singh RP (2018) Genetic gains for grain yield in CIMMYT's semi-arid wheat yield trials grown in suboptimal environments. *Crop Sci.* 58:1–9. doi:10.2135/cropsci2018.01.0017
- Crossa J, Pérez-Rodríguez P, Cuevas J, Montesinos-López O, Jarquín D, de Los Campos G, Burgueño J, González-Camacho JM, Pérez-Elizalde S, Beyene Y, Dreisigacker S, Singh R, Zhang X, Gowda M, Roorkiwal M, Rutkoski J, Varshney RK (2017) Genomic selection in plant breeding: methods, models, and perspectives. *Trends in Plant Science* 22:961–975. doi:10.1016/j.tplants.2017.08.011
- Dababat AA, Erginbas-Orakci G, Toumi F, Braun H-J, Morgounov A and Sikora RA (2018) IPM to control soil-borne pests on wheat and sustainable food production. *Arab Journal of Plant Protection*, 36 (1), pp. 37-44. doi:10.22268/AJPP-036.1.037044
- Dadkhodaie NA, Karaoglou H, Wellings CR, Park RF (2010) Mapping genes Lr53 and Yr35 on the short arm of chromosome 6B of common wheat with microsatellite markers and studies of their

DRRW / DGGW 2008-2019 Publications (Open Access)

- association with Lr36. *Theoretical and Applied Genetics* 122:479–487, doi:10.1007/s00122-010-1462-y
- Dadhodaie NA, Singh D, Park RF (2012) Characterization of resistance to leaf rust in an international bread wheat nursery. *Journal of Plant Pathology* 93:627-641
- Dadrezaei, ST and Nazari K (2015) Detection of Wheat Rust Resistance Genes in some Iranian Wheat Genotypes by molecular markers. *Seed and Plant Improvement Journal*: 31 (1): 163- 187.
- Daetwyler HD, Bansal UK, Bariana HS, Hayden MJ, Hayes BJ (2014) Genomic prediction for rust resistance in diverse wheat landraces. *Theor Appl Genet* 127:1795–1803
- Darino M, Dieguez, M, Singh D, Ingala L, Pergolesi M, Park R, McIntosh R, Sacco, F (2015) Detection and location of *Lr11* and other leaf rust resistance genes in the durably resistant wheat cultivar Buck Poncho. *Euphytica* 206:135–147
- Dawit, W., Badebo, A., Hunde, B., Kassa, D., and Röder, M. S. 2019. Haplotype analysis of Ethiopian bread wheat (*Triticum aestivum*) cultivars and elite lines for yellow rust resistance genes using linked molecular markers. *African Journal of Biotechnology* 18:37-57 DOI:10.5897/AJB2018.16539.
- Dean R, Van Kan JAL, Pretorius ZA, Hammond-Kosack K, Di Pietro A, Spanu P, Rudd JJ, Dickman M, Kahmann R, Ellis J, Foster GD (2012) The top 10 fungal pathogens in molecular plant pathology. *Molecular Plant Pathology* 13(4):414-430. doi:10.1111/J.1364-3703.2011.00783.X
- Della Coletta, R., Hirsch, C.N., Rouse, M.N., Lorenz, A., Garvin, D.F. 2019. Genomic dissection of nonhost resistance to wheat stem rust in *Brachypodium distachyon*. *Molecular Plant-Microbe Interactions* 32: 392-400.
- Denbel W and Badebo A (2012) Valuable sources of resistance in the Ethiopian durum wheat landraces to Ug99 and other stem rust races. *International Journal of Agronomy and Plant Production* 3(6):191-195
- Derevnina L, Fetch T, Singh D, Brueggeman R, Dong C and Park RF (2014). Analysis of stem rust resistance in Australian barley cultivars. *Plant Disease* 98: 1485-1493
- Derevnina L, Singh D, Park RF (2015) The genetic relationship between barley leaf rust resistance genes located on chromosome 2HS. *Euphytica* 203:211–220
- Derevnina L, Zhou M, Singh D, Wellings CR, Park RF (2015) The genetic basis for resistance to stripe rust (*Puccinia striiformis* f. sp. *pseudo-hordei*) in Australian barley cultivars. *Theoretical and Applied Genetics* 128:187–197
- Dettori M, Crossa J, Ammar K, Peña RJ, Varela M (2011) Three-mode principal component analysis of genotype-by-environment-by-trait data in durum wheat. *Journal of Crop Improvement* 25:619–649
- Dracatos P, Singh D, Bansal U, Park RF (2015) Identification of new sources of adult plant resistance to *Puccinia hordei* in international barley (*Hordeum vulgare* L.) germplasm. *European Journal of Plant Pathology* 141: 463–476
- Dracatos PM, Ayliffe M, Khatkar MS, Fetch T and Park RF (2014). Inheritance of pre-haustorial resistance to *Puccinia graminis* f. sp. *avenae* in barley (*Hordeum vulgare* L.). *Molecular Plant-Microbe Interactions* 27: 1253-1262

DRRW / DGGW 2008-2019 Publications (Open Access)

- Dracatos PM, Khatkar MS, Singh D, and Park RF (2014) Genetic mapping of a new race specific resistance allele effective to *Puccinia hordei* at the Rph9/Rph12 locus on chromosome 5HL in barley. *BMC Plant Biology* **14**:1598. doi:10.1186/s12870-014-0382-4
- Dracatos PM, Singh, D, Fetch T and Park RF (2015) Resistance to *Puccinia graminis* f. sp. *avenae* in barley is associated with the *Rpg5* locus. *Phytopathology* **105**: 490-494
- Dracatos PM, Zhang P, Park RF, McIntosh RA, Wellings CR (2015). Complementary resistance genes in wheat selection 'Avocet R' confer resistance to stripe rust. *Theoretical and Applied Genetics*. doi:10.1007/s00122-015-2609-7
- Dreisigacker S, Shewayrga H, Crossa J, Arief VN, DeLacy IH, Singh RP, Dieters MJ, Braun HJ (2011) Genetic structures of the CIMMYT international yield trial targeted to irrigated environments. *Mol Breeding* **29**:529-541
- Dundas I, Zhang P, Verlin D, Graner A, Shepherd K (2015) Chromosome engineering and physical mapping of the *Thinopyrum ponticum* translocation in wheat carrying the rust resistance gene *Sr26*. *Crop Science* **55**:648–657. doi:10.2135/cropsci2014.08.0590
- Edae EA, Pumphrey MO, Rouse MN (2018) A genome-wide association study of field and seedling response to individual stem rust pathogen races reveals combinations of race-specific genes in North American spring wheat. *Front. Plant. Sci.* **9**:52.
- Edae, E.A., Rouse, M.N. 2019. Bulk segregant analysis RNA-seq (BSR-Seq) validated a stem resistance locus in *Aegilops umbellulata*, a wild relative of wheat. *PLoS One* **14**: e0215492.
- El Amil R, Vallavieille-Pope C, Leconte M, Nazari K (2018) Resistance gene diversity for stripe rust in wheat elite lines, commercial varieties and landraces from Lebanon and Syria. Submitted to *Phytopathologia Mediterranea*.
- El Amil R., de Vallavieille-Pope, C., Leconte, M., Nazari, K. 2020. Diversity of genes for resistance to stripe rust in wheat elite lines, commercial varieties and landraces from Lebanon and Syria. *Phytopathologia Mediterranea* **58**(3): 607-627. doi: 10.14601/Phyto-10982.
- El Amil, R., Ali, S., Bahri, B., Leconte, M., de Vallavieille-Pope, C., Nazari, K. 2020. Pathotype diversification of the invasive PstS2 clonal lineage of *Puccinia striiformis* f. sp. *tritici* causing yellow rust on durum and bread wheat in Lebanon and Syria. *Plant Pathology*, doi:10.1111/ppa.13164.
- El-Khalifeh M, E-Ahmed A, Al-Saleh, Nachit M (2009) Use of AFLPs to differentiate between *Fusarium* species causing root rot disease on durum wheat (*Triticum turgidum* L. var. durum). *African Journal of Biotechnology* **8**(18):4347-4352
- Ellis JG, Lagudah ES, Spielmeyer W, Dodds PN (2014) The past, present and future of breeding rust resistant wheat. *Front. Plant Sci* **24**;5:641 24. doi:10.3389/fpls.2014.00641
- Endelman JB, Atlin GN, Beyene Y, Semagn K, Zhang X, Sorrells ME, and Jannink J-L (2014) Optimal design of preliminary yield trials with genome-wide markers. *Crop Sci.* **54**:48-59
- Endresen, DTF, Street K, Mackay M, Bari A, Amri A, De Pauw E, Nazari K, Yahyaoui A (2012) Sources of resistance to stem rust (Ug99) in bread wheat and durum wheat identified using focused identification of germplasm strategy. *Crop Sci* **52**:764-773

DRRW / DGGW 2008-2019 Publications (Open Access)

- Fehser S, Beike U, Stoveken J, Pretorius ZA, Van der Westhuizen A, Moersbacher B (2012) Histological and initial molecular analysis of Ug99, the new Sr31-breaking race of the wheat stem rust fungus threatening global wheat production. *Journal of Plant Pathology* 92(3) 709-720
- Fetch Jr TG, Fetch MJ, Xue A (2011) Races of *Puccinia graminis* on barley, oat and wheat in Canada in 2006. *Can J Plant Pathol* 33:54–60
- Fetch T, Zegeye, T, Park RF, Hodson D and Wanyera, R (2016) Detection of wheat stem rust races TTHSK and PTKTK in the Ug99 race group in Kenya in 2014. *Plant Disease* 100:1495
- Firdissa EB, Cuthbert RD, Knox RE, Randhawa HS, Hiebert CW, DePauw RM, Singh AK, Singh A, Sharpe AG, N'Diaye A, Pozniak CJ, McCartney C, Ruan Y, Berraies S, Meyer B, Munro C, Hay A, Ammar K, Huerta-Espino J, Bhavani S (2017). Quantitative trait loci for resistance to stripe rust of wheat revealed using global field nurseries and opportunities for stacking resistance genes. *Theor Appl Genet.* Dec;130(12):2617-2635. doi 10.1007/s00122-017-2980-7
- Flath K, Miedaner T, Olivera PD, Rouse MN, Jin Y (2018) Genes for wheat stem rust resistance postulated in German cultivars and their efficacy in seedling and adult-plant field tests. *Plant Breeding* 2018:1-12.
- Forrest KL, Pujol V, Bulli P, Pumphrey M, Wellings C, Herrera-Foessel S, Huerta-Espino J, Singh R, Lagudah EL, Hayden M and Spielmeier W (2014) Development of a SNP marker assay for adult plant resistance gene *Lr67* of wheat using a genotyping by sequencing approach. *Mol Breeding*. doi:10.1007/s11032-014-0166-4
- Gao L, Babiker EM, Nava IC, Nirmala J, Bedo Z, Lang L, Chao S, Gale S, Jin Y, Anderson JA, Bansal U, Park RF, Rouse MN, J. M. Bonman JM, H. Bariana H (2018) Temperature-sensitive wheat stem rust resistance gene *Sr15* is effective against *Puccinia graminis* f. sp. *tritici* race TTKSK. *Plant Pathology* 68:143-151.
- Gao L, Kielsmeier-Cook J, Bajgain P, Zhang X, Chao S, Rouse MN, Anderson J A (2015) Development of genotyping by sequencing (GBS)- and array-derived SNP markers for stem rust resistance gene *Sr42*. *Molecular Breeding* 35:207
- Gao, L, Nava IC, Rouse MN, Zoltan B, Laszlo L, Chao XM, Jin Y and Anderson JA (2015) Identification and genetic mapping of *SrZelma*, a wheat stem rust resistance allele effective to Ug99. *Theor Appl Genet.* 2015 Jul;128(7):1397-405. doi:10.1007/s00122-015-2514-0
- Gebreslasie Z.S., Huang S., Zhan G., Badebo A., Zeng Q., Wu J., Wang Q., Liu S., Huang L., Wang X., Kang Z., Han D. 2020. Stripe rust resistance genes in a set of Ethiopian bread wheat cultivars and breeding lines. *Euphytica*216:17
- Gebreslasie, Z.S., Zeng, Q., Zhao, J., Chen, X., Badebo, A., Tian, Y., Huang, L., Kang, Z., and Zhan, G. 2019. inheritance of virulence and linkages of virulence genes in an Ethiopian isolate of the wheat stripe rust pathogen (*Puccinia striiformis* f. sp. *tritici*) determined through sexual recombination on *Berberis holstii*. *Plant Diseases*. Vol. 103, No. 9.
- Ghazvini H, Hiebert CW, Thomas J and Fetch T (2013) Development of a multiple bulked segregant analysis (MBSA) method used to locate a new stem rust resistance gene (Sr54) in the winter wheat cultivar Norin 40. *Theor Appl Genet* 126:443-449

DRRW / DGGW 2008-2019 Publications (Open Access)

- Ghazvini H, Hiebert CW, Zegeye T, Liu S, Dilawari M, Tsilo T, Anderson JA, Rouse MN, Jin Y, Fetch T (2012) Inheritance of resistance to Ug99 stem rust in wheat cultivar Norin 40 and genetic mapping of Sr42. *Theor Appl Genet* 125:817-824
- Golegaonkar P, Wellings CR, Singh D, Park RF (2013). Genetic and molecular analyses of resistance to a variant of *Puccinia striiformis* in barley. *J Appl Genet*. 54(1):1-9. doi:10.1007/s13353-012-0118-9
- Guerrero-Chavez R, Glover KD, Rouse MN, Gonzalez-Hernandez J L (2015) Mapping of two loci conferring resistance to wheat stem rust pathogen races TTKSK (Ug99) and TRTTF in the elite hard red spring wheat line SD4279. *Molecular Breeding* 35:8
- Gulyaeva EI, Shaydayuk EL, Shamanin VP, Akhmetova AK, Tyunin VA, Shreyder ER, Kashina IV, Eroshenko LA, Sereda GA and Morgunov AI (2018) Genetic structure of Russian and Kazakhstani leaf rust causative agent *Puccinia triticina* Erikss. Populations as assessed by virulence profiles and SSR markers. *Sel'skokhozyaistvennaya Biologiya - Agricultural Biology* 53 (1) 85-95. doi:10.15389/agrobiology.2018.1.85eng
- Guo, J-Y, Li K, Wu K, Wang X, Lin H, Cantu D, Uauy C, Dobon-Alonso A, Midorikawa T, Inoue K, Sánchez J, Fu D, Blechl A, Wallington E, Fahima T, Meeta M, Epstein L and Dubcovsky J (2015) Wheat stripe rust resistance protein WKS1 reduces the ability of the thylakoid-associated ascorbate peroxidase to detoxify reactive oxygen species. *The Plant Cell* 27: 1755–1770. PMC4498197
- Guzmán C, Autrique E, Mondal S, Huerta-Espino J, Singh RP, Vargas M, rossa J, Amaya A, Peña RJ (2017) Genetic improvement of grain quality traits for CIMMYT semi-dwarf spring bread wheat varieties developed during 1965–2015: 50 years of breeding. *Field Crops Res*. 210:192-196. doi:10.1016/j.fcr.2017.06.002
- Guzmán C, Mondal S, Govindan V, Autrique JE, Posadas-Romano G, Cervantes F, Crossa J, Vargas M, Singh RP and Peña RJ (2016) Use of rapid tests to predict quality traits of CIMMYT bread wheat genotypes grown under different environments. *LWT-Food Science and Technology* 69:327-333. doi:1016/j.lwt-2016.01.068
- Guzmán C., Ammar K., Govindan, V., and Singh, R. 2019. Genetic improvement of wheat grain quality at CIMMYT. *Front. Agr. Sci. Eng.* DOI: 10.15302/J-FASE-2019260
- Habash DZ, Kehel Z, and Nachit M (2009) Genomic approaches for designing durum wheat ready for climate change with a focus on drought. *Journal of Experimental Botany*. doi:10.1093/jxb/erp211 60-10:2805-15
- Haga DI, Iannone R, Wheeler MJ, Mason R, Polishchuk EA, Fetch T Jr., van der Kamp BJ, McKendry IG, and Bertram AK (2013) Ice nucleation properties of rust and bunt fungal spores and their transport to high altitudes, where they can cause heterogeneous freezing. *J Geophys Res Atmos* 118:7260–7272
- Haghighattalab A, Crain J, Mondal S, Rutkoski J, Singh RP, Poland J (2017) Application of geographically weighted regression to improve grain yield prediction from unmanned aerial system imagery. *Crop Science* 57(5):2478-2489. doi: 10.2135/cropsci2016.12.1016
- Haile JK, Hammer K, Badebo A, Nachit MM, Röder MS (2012) Genetic diversity assessment of Ethiopian tetraploid wheat landraces and improved durum wheat varieties using microsatellites and markers linked with stem rust resistance. *Genet Resour Crop Evol*. doi:10.1007/s10722-012-9855-1

DRRW / DGGW 2008-2019 Publications (Open Access)

- Haile JK, Hammer K, Badebo A, Singh RP, Röder MS (2012) Haplotype analysis of molecular markers linked to stem rust resistance genes in Ethiopian improved durum wheat varieties and tetraploid wheat landraces. *Genet Resour Crop Evol.* doi:10.1007/s10722-012-9880-0
- Haile JK, Nachit MM, Hammer K, Badebo A, Röder MS (2012) QTL mapping of resistance to race Ug99 of *Puccinia graminis* f. sp. *tritici* in durum wheat (*Triticum durum* Desf.). *Mol Breeding.* doi:10.1007/s11032-012-9734-7
- Hailu E, Woldeab G, Worku D, Alemu W, Abebe T, Mekonnen A (2015) Distribution of stem rust (*Puccinia graminis* f. sp. *tritici*) races in Ethiopia. *Adv Crop Sci Tech* 3(3): 173. doi:10.4172/2329-8863.1000173
- Hale I, Zhang X, Fu D, Dubcovsky J (2012) Registration of wheat lines carrying the partial stripe rust resistance gene Yr36 without the Gpc-B1 high grain protein content allele. *Journal of Plant Registrations.* doi:10.3198/jpr2012.03.0150crg
- Haley SD, Johnson JJ, Peairs FB, Stromberger, JA, Hudson-Arns EE, Seifert SA, Anderson V, Bai G, Chen X, Bowden RL, Jin Y, Kolmer JA, Chen MS, Seaborn, BW (2018) Registration of 'Avery' hard red winter wheat. *J. of Plant Registrations* 12: 362-366.
- Haley SD, Johnson JJ, Peairs FB, Stromberger, JA, Hudson-Arns EE, Seifert SA, Anderson V, Rosenow AA, Bai Gu, Chen, X, Bowden R, Jin Y, Kolmer JA, Chen MS, Seaborn BW (2018) Registration of 'Langin' hard red winter wheat. *J. of Plant Registrations* 12: 232-236.
- Hayes RC, Wang S, Newell MT, Turner K, Larsen J, Gazza L, Anderson JA, Bell LW, Cattani DJ, Frels K, Galassi E, Morgounov AI, Revell CK, Thapa DB, Sacks EJ, Sameri, Wade LJ, Westerbergh A, Shamanin V, Amanov A and Li GD (2018) The performance of early-generation perennial winter cereals at 21 sites across four continents. *Sustainability (Switzerland)*, 10 (4), art. no. 1124. doi:10.3390/su10041124.
- Hei N.B., Tsegaab, T., Getaneh, W., Girma, T., Obsa, C., Seyoum, A., Zerihun, E., Nazari, K., Kurtulus, E., Kavaz, H., Ozseven, I., and Yoseph, A. 2020. First Report of *Puccinia graminis* f. sp. *tritici* Race TTKTT in Ethiopia. Published Online: <https://doi.org/10.1094/PDIS-09-19-1825-PDN>
- Hernández-Espinosa N, Mondal S, Autrique E, Gonzalez-Santoyo H, Crossa J, Huerta-Espino J, Singh RP and Guzmán C (2018) Milling, processing and end-use quality traits of CIMMYT spring bread wheat germplasm under drought and heat stress. *Field Crops Res.* 215:104-112. doi:10.1016/j.fcr.2017.10.003
- Herrera-Foessel SA, Huerta-Espino J, Calvo-Salazar V, Lan CX and Singh RP (2014) *Lr72* confers resistance to leaf rust in durum wheat cultivar Atil C2000. *Plant Dis* 98:631-635. doi:10.1094/PDIS-07-13-0741-RE
- Herrera-Foessel SA, Lagudah ES, Huerta-Espino J, Hayden MJ, Bariana HS, Singh D, Singh RP (2011) New slow-rusting leaf rust and stripe rust resistance genes *Lr67* and *Yr46* in wheat are pleiotropic or closely linked. *Theor Appl Genet* 122:239–249. doi:10.1007/s00122-010-1439-x
- Herrera-Foessel SA, Singh RP, Huerta-Espino J, Rosewarne G, Calvo Salazar V, Lan C, Lagudah ES. (2012) *Lr68*: A new gene conferring slow rusting resistance to leaf rust in wheat. *Theor Appl Genet* 124:1475-1486
- Herrera-Foessel SA, Singh RP, Lan C, Huerta-Espino J, Calvo-Salazar V, Bansal UK, Bariana HS, Lagudah ES (2015) *Yr60*, a gene conferring moderate stripe rust resistance in wheat. *Plant Disease* 99:508-511

DRRW / DGGW 2008-2019 Publications (Open Access)

- Herrera-Foessel SA, Singh RP, Lillemo M, Huberto-Espino J, Bhavani S, Singh S, Lan C, Calvo-Salazar V and Lagudah ES (2014) *Lr67/Lr46* confers adult plant resistance to stem rust and powdery mildew in wheat, *Theor Appl Genet* 127:781-789
- Heslot N, Yang H-P, Sorrells ME, Jannink J-L (2012) Genomic selection in plant breeding: A comparison of models. *Crop Sci* 52: 146-160
- Hickey LT, Lawson W, Platz GJ, Dieters M, Arief VN, Germán S, Fletcher S, Park RF, Singh D, Pereyra S, Franckowiak J. (in press) Mapping Rph20: A gene conferring adult plant resistance to *Puccinia hordei* in barley. *Theor App Genet* 128:55–68
- Hickey LT, Lawson W, Platz GJ, Fowler RA, Arief V, Dieters M, Germán S, Fletcher S, Park RF, Singh D, Pereyra S, Franckowiak J. (2012) Mapping quantitative trait loci for partial resistance to powdery mildew in an Australian barley population. *Crop Sci* 52: 1021–1032
- Hiebert CW, Fetch Jr. TG, Zegeye T (2010) Genetics and mapping of stem rust resistance to Ug99 in the wheat cultivar Webster. *Theoretical and Applied Genetics* 121:65-69
- Hiebert CW, Fetch Jr. TG, Zegeye T, Thomas J B, Somers DJ, Humphreys DG, McCallum BD, Cloutier S, Singh D, Knott DR (2010) Genetics and mapping of seedling resistance to Ug99 stem rust in Canadian wheat cultivars ‘Peace’ and ‘AC Cadillac’. *Theoretical and Applied Genetics* doi:10.1007/s00122-010-1430-6
- Hiebert CW, Rouse MN, Nirmala J, Fetch T (2017) Genetic mapping of stem rust resistance to *Puccinia graminis* f. sp. *tritici* race TRTTF in the Canadian wheat cultivar Harvest. *Phytopathology* 107:192-197
- Hiebert, C. W., Moscou, M. J., Hewitt, T., Steuernagel, B., Hernández-Pinzón, I., Green, P., Pujol, V., Zhang, P., Rouse, M. N., Jin, Y., McIntosh, R. A., Upadhyaya, N., Zhang, J., Bhavani, S., Vrána, J., Karafiátová, M., Huang, L., Fetch, T., Doležel, J., Wulff, B. B. H., Lagudah, E., Spielmeier, W. 2020. Stem rust resistance in wheat is suppressed by a subunit of the mediator complex. *Nature Communications* 11:1-10.
- Hiebert, CW, Kassa MT, McCartney CA, You FM, Rouse MN, Fobert P, Fetch TG (2016) Genetics and mapping of seedling resistance to Ug99 stem rust in winter wheat cultivar Triumph 64 and differentiation of *SrTmp*, *SrCad*, and *Sr42*. *Theor Appl Genet* 129:2171-2177
- Hodson DP (2011) Shifting boundaries: challenges for rust monitoring. *Euphytica* 179:93–104. doi:10.1007/s10681-010-0335-4
- Honsdorf N, Mulvaney MJ, Singh RP, Ammar K, Burgueño J, Govaerts B, Verhulst N (2018) Genotype by tillage interaction and performance progress for bread and durum wheat genotypes on irrigated raised beds. *Field Crops Res.* 216:42-52. doi:10.1016/j.fcr.2017.11.011
- Honsdorf N, Mulvaney MJ, Singh RP, Ammar K, Burgueño J, Govaerts B, Verhulst N (2018) Genotype by tillage interaction and performance progress for bread and durum wheat genotypes on irrigated raised beds. *Field Crops Res.* 216:42-52. doi:10.1016/j.fcr.2017.11.011
- Howard, R., Gianola, D., Montesinos-López, O., Juliana, P., Singh, R., Poland, J., Shrestha, S., Pérez-Rodríguez, P. Crossa, J. and Jarquín, D. 2019. Joint use of genome, pedigree, and their interaction with environment for predicting the performance of wheat lines in new environments. *G3: Genes|Genomes|Genetics* 9(9): 2925. DOI: 10.1534/g3.119.400508

DRRW / DGGW 2008-2019 Publications (Open Access)

- Huerta-Espino J, Singh RP, German S, McCallum BD, Park RF, Chen W, Bhardwaj SC, Goyeau H (2011) Global status of wheat leaf rust caused by *Puccinia triticina*. *Euphytica* 179:143–160. doi:10.1007/s10681-011-0361-x
- Hulbert SH and Pumphrey MO (2014) A Time for More Booms and Fewer Busts? Unraveling Cereal–Rust Interactions. *Molecular Plant-Microbe Interactions* 27:207-214
- Hundie B., Girma B., Tadesse Z., Edae E., Olivera P., Hailu E., Bulbula W.D., Legesse W., Abeyo B., Badebo A., Cisar G., Guedira, S. Gale G.B., Jin Y., and Rouse M.N. 2019. Characterization of Ethiopian wheat germplasm for resistance to four *Puccinia graminis* f. sp. *tritici* races. *Plant Disease* 103:2359-2366.
- Jaleta M., Hodson, D., Abeyo, B, Yirga, C., Erenstein, O. 2019. Smallholders’ coping mechanisms with wheat rust epidemics: Lessons from Ethiopia. *PLoS ONE* 14(7): e0219327.
- Jiandong H, Yuannin C, Guiqing Z, and Weihua L (2010) New SSR markers for stem rust resistance gene *Sr22* in wheat, *Scientia Agricultural Sinica* 43(15): 3244-3250
- Jiandong H, Yuannin C, Zhongjia S (2010) Race dynamics of *Puccinia graminis* f. sp. *tritici* in China and the virulence of CIMMYT wheat germplasm resistant to Ug99, *Journal of Triticeae Crops*, 30(1):163-166
- Jighly A, Oyiga BC, Makdis F, Nazari K, Youssef O, Tadesse W, Abdalla O, Ogbonnaya FC (2015) Genome-wide DArT and SNP scan for QTL associated with resistance to stripe rust (*Puccinia striiformis* f. sp. *tritici*) in elite ICARDA wheat (*Triticum aestivum* L.) germplasm. *Theor Appl Genet.* 128 (7): 1277-95. doi:10.1007/s00122-015-2504-2
- Jin Y (2011) Role of the alternate host *Berberis* spp. in generating new races of *Puccinia graminis* and *P. striiformis*. *Euphytica* 179:105–108
- Jin Y, Rouse M and Groth J (2014) Population diversity of *Puccinia graminis* is sustained through sexual cycle on alternate hosts. *J. Integrative Agri* 13:262-264
- Jin Y, Szabo LJ, Carson M (2010) Century-old mystery of *Puccinia striiformis* life history solved with the identification of *Berberis* as an alternate host. *Phytopathology* 100:432-435
- Jin Y, Szabo LJ, Pretorius ZA, Singh RP, Ward R and Fetch T (2008) Detection of virulence to resistance gene *Sr24* within race TTKS of *Puccinia graminis* f. sp. *tritici*. *Plant Disease*, 92, 923-6
- Jin Y, Szabo LJ, Rouse MN, et al., (2009) Detection of Virulence to Resistance Gene *Sr36* Within the TTKS Race Lineage of *Puccinia graminis* f. sp. *tritici*. *Plant Disease*, 93, 367-70
- Johnson J W, Chen Z, Buck J, Buntin GD, Babar Md.A, Mason RE, Harrison SA, Murphy JP, Ibrahim AMH, Sutton RL, Simoneax BE, Bockelman HE, Biak BK, Marshall D, Cowger C, Brown-Guedira GL, Kolmer JA, Jin Y, Chen X, Cambron SE, Mergoun M (2018) ‘Savoy’, an Adapted Soft Red Winter Wheat Cultivar for Georgia and the Southeast Regions of the United States. *J. of Plant Registrations* 12: 85-89.**
- Jordan KW, Wang S, Yanni Lun Y, Gardiner L-J, MacLachlan R, Hucl P, Wiebe K, Wong D, Forrest K, IWGS Consortium, Sharpe AG, Sidebottom CHD, Hall N, Toomajian C, Close T, Dubcovsky J, Akhunova A, Talbert L, Bansal UK, Bariana HS, Hayden MJ, Pozniak C, Jeddelloh JA, Hall A, Akhunov E (2015) A haplotype map of allohexaploid wheat reveals distinct patterns of selection on homoeologous genomes. *Genome Biology* 16:48

DRRW / DGGW 2008-2019 Publications (Open Access)

- Joshi AK, Azab M, Mosaad M, Moselhy M, Osmanzai M, Gelalcha S, G. Girma Bedada, M.R. Bhatta MR, Hakim A, Malaker PK, Haque ME, Tiwari TP, Majid A, Jalal Kamali MR, Bishaw Z, Singh RP, Payne T, Braun HJ (2011) Delivering rust resistant wheat to farmers: a step towards increased food security. *Euphytica* 179:187–196
- Juliana P, Montesinos-López OA, Crossa J, Mondal S, Pérez LG, Poland J, Huerta-Espino J, Crespo-Herrera L, Govindan V, Dreisigacker S, Shrestha S, Pérez-Rodríguez P, Pinto Espinosa F and Singh RP (2018) Integrating genomic-enabled prediction and high-throughput phenotyping in breeding for climate-resilient bread wheat. *Theoretical and Applied Genetics*: 1-18. doi:10.1007/s00122-018-3206-3
- Juliana P, Rutkoski JE, Poland JA, Singh RP, Murugasamy S, Natesan S, Barbier H and Sorrells ME (2015) Genome wide association mapping for Leaf Tip Necrosis and Pseudo Black Chaff in relation to durable rust resistance in wheat. *The Plant Genome* 8(2):1-12. doi:10.3835/plantgenome2015.01.0002
- Juliana P, Singh R, Singh P, Crossa J, Rutkoski J, Poland J, Bergstrom G, Sorrells M (2017) Comparison of models and whole-genome profiling approaches for genomic-enabled prediction of *Septoria tritici* blotch, *Stagonospora Nodorum* Blotch, and Tan Spot resistance in wheat. *The Plant Genome* 10(2). doi:10.3835/plantgenome2016.08.0082
- Juliana P, Singh RP, Poland J, Mondal S, Crossa J, Montesinos-López OA, Dreisigacker S, Pérez-Rodríguez P, Huerta-Espino J, Crespo-Herrera L and Govindan V (2018) Prospects and challenges of applied genomic selection—A new paradigm in breeding for grain yield in bread wheat. *Plant Genome* 11:180017. doi:10.3835/ plantgenome2018.03.0017
- Juliana P, Singh RP, Singh PK, Crossa J, Huerta-Espino J, Lan C, Bhavani S, Rutkoski JE, Poland JA, Bergstrom GC, Sorrells ME (2017) Genomic and pedigree-based prediction for leaf, stem, and stripe rust resistance in wheat. *Theor Appl Genet.* 130(7):1415-1430. doi:10.1007/s00122-017-2897-1
- Juliana P, Singh RP, Singh PK, Crossa J, Rutkoski JE, Poland JA, Bergstrom GC, Sorrells ME (2017) Comparison of models and whole-genome profiling approaches for genomic-enabled prediction of *Septoria tritici* blotch, *Stagonospora nodorum* blotch, and tan spot resistance in wheat. *The Plant Genome* 10(2):1-16. doi:10.3835/plantgenome2016.08.0082
- Juliana P, Singh RP, Singh PK, Poland JA, Bergstrom GC, Huerta-Espino J, Bhavani S, Crossa J and Sorrells ME (2018) Genome-wide association mapping for resistance to leaf rust, stripe rust and tan spot in wheat reveals potential candidate genes. *Theor. Appl. Genet.* 131:1405–1422. doi:10.1007/s00122-018-3086-6
- Juliana P., Montesinos-López, O. A., Crossa, J., Mondal, S., Pérez, L. G., Poland, J., Huerta-Espino, J., Crespo-Herrera, L., Govindan, V., Dreisigacker S., Shrestha, S., Pérez-Rodríguez, P., Pinto Espinosa, F. and Singh, R. P. 2019. Integrating genomic-enabled prediction and high-throughput phenotyping in breeding for climate-resilient bread wheat. *Theor. Appl. Genet.* 132:177-194. DOI: 10.1007/s00122-018-3206-3
- Juliana P., Poland, J., Huerta-Espino, J., Shrestha, S., Crossa, J., Crespo-Herrera, L., Toledo, F.H., Govindan V., Monda, I S., Kumar, U., Bhavani, S., Singh, P.K., Randhawa, M.S., He, X., Guzman, C., Dreisigacker, S., Rouse, M.N., Jin, Y., Pérez-Rodríguez, P., Montesinos-López O.A., Singh, D., Rahman, M.M., Marza, F., Singh, R.P. 2019. Bread wheat improvement for yield, stress-resilience and quality using state-of-the-art genomics. *Nature Genetics* 15: 1530-1539.

DRRW / DGGW 2008-2019 Publications (Open Access)

- Juliana, P., Montesinos-López, O. A., Crossa, J., Mondal, S., González Pérez, L., Poland, J., Huerta-Espino, J., Crespo-Herrera, L., Govindan, V., Dreisigacker, S., Shrestha, S., Pérez-Rodríguez, P., Pinto Espinosa, F., and Singh, R. P. 2019. Integrating genomic-enabled prediction and high-throughput phenotyping in breeding for climate-resilient bread wheat. *Theoretical and Applied Genetics* 132(1): 177-194. DOI: 10.1007/s00122-018-3206-3
- Juliana, P., Poland, J., Huerta-Espino, J., Shrestha, S., Crossa, J., Crespo-Herrera, L., Toledo, F. H., Govindan, V., Mondal, S., Kumar, U., Bhavani, S., Singh, P. K., Randhawa, M. S., He, X., Guzman, C., Dreisigacker, S., Rouse, M. N., Jin, Y., Pérez-Rodríguez, P., Montesinos-López, O. A., Singh, D., Mokhlesur Rahman, M., Marza, F., and Singh, R. P. 2019. Improving grain yield, stress resilience and quality of bread wheat using large-scale genomics. *Nature Genetics* 51: 1530-1539. DOI: 10.1038/s41588-019-0496-6
- Kamino LN, Singh D, Pallota MA, Collins NS, Park RF (2016) Mapping of seedling resistance in barley to *Puccinia striiformis* f. sp. *pseudohordei*. *Journal of Applied Genetics* 57:37–44
- Karaoglu H and Park RF (2014) Isolation and characterization of microsatellite markers for the causal agent of barley leaf rust, *Puccinia hordei*. *Australasian Plant Pathology* 43: 47-52
- Khan, M.R., Rehman, Z.U., Nazir, S.N., Tshewang, S., Baidya, S., Hodson, D., Imtiaz, M., Ali, S. 2019. Genetic divergence and diversity in Himalayan *Puccinia striiformis* populations from Bhutan, Nepal and Pakistan. *Phytopathology* 109:1793-1800. <https://doi.org/10.1094/PHYTO-01-19-0031-R>
- Kielsmeier-Cook J, Danilova TV, Friebe B and Rouse MN (2015) Resistance to the Ug99 race group of *Puccinia graminis* f. sp. *tritici* in wheat-intra/intergeneric hybrid derivatives. *Plant Disease* 99:1317-1325
- Kiszonas, A. M., Higginbotham, R., Chen, X. M., Garland-Campbell, K., Bosque-Perez, N. A., Pumphrey, M., Rouse, M. N., Hole, D., Wen, N., Morris, C. F. 2019. Agronomic traits in durum wheat germplasm possessing puroindoline genes. *Agronomy Journal* 111: 1254-1265.
- Klindworth DL, Miller JD, Williams ND, Xu SS (2011) Resistance to recombinant stem rust race TPPKC in hard red spring wheat. *Theor Appl Genet* 123:603–613
- Klindworth DL, Niu Z, Chao S, Friesen TL, Jin Y, Faris JD, Cai X, Xu SS (2012) Introgression and characterization of a goatgrass gene for a high level of resistance to Ug99 stem rust in tetraploid wheat. *Genes, Genomes, Genetics* 2:665-673. doi:10.1534/g3.112.002386
- Klindworth DL, Saini J, Long Y, Rouse MN, Faris JD, Jin Y, Xu SS (2017) Physical mapping of DNA markers linked to stem rust resistance gene *Sr47* in durum wheat. *Theor. Appl. Genet.* 130:1135-1154
- Kokhmetova A, Sharma RC, Rsaliyev S, Galymbek K, Baymagambetova K, Ziyaev Z, Morgounov A (2017) Evaluation of Central Asian wheat germplasm for stripe rust resistance. *Plant Genetic Resources*, doi:10.1017/S1479262117000132
- Kolmer JA and Hughes ME (2018) Physiologic specialization of *Puccinia triticina* on wheat in the United States in 2016. *Plant Dis.* 102:1066-1071.
- Kolmer JA, Garvin DF, Hayden M, Spielmeier W (2018) Adult plant leaf rust resistance derived from the wheat landrace cultivar Americano 44d is conditioned by interaction of three QTL. *Euphytica* 214: 59.**

DRRW / DGGW 2008-2019 Publications (Open Access)

- Kolmer JA, Garvin DF, Jin Y (2011) Expression of a Thatcher wheat adult plant stem rust resistance QTL on chromosome arm 2BL is enhanced by Lr34. *Crop Sci.* 51:526–533
- Kolmer JA, Su Z, Bernardo A, Bai G and Chao S (2018) A backcross line of Thatcher wheat with adult plant resistance derived from Duster has *Lr46* and *Lr77*. *Phytopathology* 109 1:127-132. doi:10.1094/PHYTO-06-18-0184-R
- Kolmer JA, Su Z, Bernardo A, Bai G and Chao S (2018) Mapping and characterization of the new adult plant leaf rust resistance gene *Lr77* derived from Santa Fe winter wheat. *Theor Appl Genet.* 131: 1553-1560.**
- Kolmer, JA, Bernardo A, Hayden MJ, and Chao S (2018) Adult plant leaf rust resistance derived from Toropi wheat is conditioned by *Lr78* and three minor QTL. *Phytopathology* 108: 246-253.
- Krause MR, Pérez LG, Crossa J, Pérez-Rodríguez P, Montesinos-López OA, Singh R, Dreisigacker S, Poland J, Rutkoski J and Sorrells ME (2018) Use of hyperspectral reflectance-derived relationship matrices for genomic prediction of grain yield in wheat. *G3: GENES, GENOMES, GENETICS* 9:4 1231-1247. Doi:10.1534/g3.118.200856
- Krause, M. R., González-Pérez, L., Crossa, J., Pérez-Rodríguez, P., Montesinos-López, O., Singh, R. P., Dreisigacker, S., Poland, J., Rutkoski, J., Sorrells, M., Gore, M. A. and Mondal, S. 2019. Hyperspectral reflectance-derived relationship matrices for genomic prediction of grain yield in wheat. *G3: Genes|Genomes|Genetics* 9(4): 1231. DOI: 10.1534/g3.118.200856
- Kthiri D, Loladze A, MacLachlan PR, N'Diaye A, Walkowiak S, Nilsen K, Dreisigacker S, Ammar K and Pozniak CJ (2018) Characterization and mapping of leaf rust resistance in four durum wheat cultivars. *PLoS ONE* 13(5): e0197317. doi:10.1371/journal.pone.0197317
- Kthiri. D., Loladze, A., N'Diaye, A., Nilsen, K.T., Walkowiak, S., Dreisigacker, S., Ammar, K. and Pozniak, C.J. 2019. Mapping of genetic loci conferring resistance to leaf rust from three globally resistant durum wheat sources. *Front. Plant Sci.* 10:1247. doi: 10.3389/fpls.2019.01247
- Kumar S, Singh RP, Joshi AK, Röder MS, Chhuneja P, Mavi GS and Kumar U (2018) Association of *Lr34* gene complex with spot blotch disease resistance at molecular level in wheat (*Triticum aestivum* L.). *Indian J. Genet.* 78: 302-308. doi:10.31742/IJGPB.78.3.11
- Kumssa TT, Baenziger PS, Rouse MN, Guttieri M, Dweikat I, Brown-Geudira G, Williamson S, Graybosch RA, Wegulo SN, Lorenz AJ and Poland J (2015) Characterization of stem rust resistance in wheat cultivar Gage. *Crop Science* 55:229-239
- Lado B, Battenfield S, Guzmán C, Quincke M, Singh RP, Dreisigacker S, Peña RJ, Fritz A, Silva P, Poland J, Gutiérrez L (2017) Strategies to select crosses using genomic prediction in two wheat breeding programs. *The Plant Genome* 2(2):1-12. doi:10.3835/plantgenome2016.12.0128
- Lagudah ES (2011) Molecular genetics of race non-specific rust resistance in wheat. *Euphytica* 179:81–91
- Laidò G, Panio G, Marone D, Russo MA, Ficco DBM, Giovanniello V, Cattivelli L, Steffenson B, De Vita P and Mastrangelo AM (2015) Identification of new resistance loci to African stem rust race TTKSK in tetraploid wheats based on linkage and genome-wide association mapping. *Front. Plant Sci.* 6:1033. doi:10.3389/fpls.2015.01033.

DRRW / DGGW 2008-2019 Publications (Open Access)

- Lan C, Basnet BR, Singh RP, Huerta-Espino J, S.A. Herrera-Foessel SA, Ren Y, Randhawa MS (2017) Genetic analysis and mapping of adult plant resistance loci to leaf rust in durum wheat cultivar Bairds. *Theor. Appl. Genet.* 130:609-619. doi:10.1007/s00122-016-2839-3
- Lan C, Hale IL, Herrera-Foessel SA, Basnet BR, Randhawa MS, Huerta-Espino J, Dubcovsky J, Singh RP (2017) Characterization and mapping of leaf rust and stripe rust resistance loci in hexaploid wheat lines UC1110 and PI610750 under Mexican environments. *Front. Plant Sci.* 8:1450 (p1-11). doi:10.3389/fpls.2017.01450
- Lan C, Rosewarne GM, Singh RP, Herrera-Foessel SA, Huerta-Espino J, Basnet BR, Zhang Y and Yang E (2014) QTL characterization of resistance to leaf rust and stripe rust in the spring wheat line Francolin#1. *Mol Breeding* doi:10.1007/s11032-014-0075-6
- Lan C, Zhang Y, Herrera-Foessel SA, Basnet BR, Huerta-Espino J, Lagudah ES and Singh RP (2015) Identification and characterization of pleiotropic and co-located resistance loci to leaf rust and stripe rust in bread wheat cultivar Sujata. *Theor Appl Genet* 128:549-561
- Lan C., Li, Z., Herrera-Foessel, S.A., Huerta-Espino, J., Basnet, B.R., Dreisigacker, S., Ren, Y., Lagudah, E and Singh, R.P. 2019. Identification and mapping of two adult plant leaf rust resistance genes in durum wheat. *Mol Breeding* 39: 118. Doi:10.1007/s11032-019-1024-1
- Letta T, Maccaferri M, Badebo A, Ammar K, Ricci A, Crossa J, Tuberosa R (2012) Searching for novel sources of field resistance to Ug99 and Ethiopian stem rust races in durum wheat via association mapping. *Theor Appl Genet* doi:10.1007/s00122-013-2050-8
- Letta, T, Olivera P, Maccaferri M, Jin Y, Ammar K, Badebo A, Crossa J, Noli E and Tubersoa R (2014) Genome-wide search of stem rust resistance loci at the seedling stage in durum wheat. *The Plant Genome* 7:1-13
- Lewis CM, Persoons A, Bebbler DP, Kigathi RN, Maintz J, Findlay K, Bueno-Sancho V, Corredor-Moreno P, Harrington SA, Kangara N, Berlin A, García R, Germán SE, Hanzalová A, Hodson DP, Hovmøller MS, Huerta-Espino J, Imtiaz M, Mirza JI, Justesen AF, Niks RE, Omrani A, Patpour M, Pretorius ZA, Roohparvar R, Sela H, Singh RP, Steffenson B, Visser B, Fenwick PM, Thomas J, Wulff BBH, and Saunders DGO (2018) Potential for re-emergence of wheat stem rust in the United Kingdom. *Nature Communications Biology*, 1 Article number 13. doi:10.1038/s42003-018-0013-y
- Li H, Vikram P, Singh RP, Kilian A, Carling J, Song J, Burgueno-Ferreira JA, Bhavani S, Huerta-Espino J, Payne T, Sehgal D, Wenzl P and S. Singh S (2015) A high density GBS map of bread wheat and its application for dissecting complex disease resistance traits. *BMC Genomics* 16:216 Pages 1-15. doi:10.1186/s12864-015-1424-5
- Li K, Hegarty J, Zhang C, Wan A, Wu J, Brown-Guedira G, Chen X, Muñoz-Amatriaín M, Fu D and Dubcovsky J (2016) Fine mapping of barley locus *Rps6* conferring resistance to wheat stripe rust. *Theor Appl Genet.* 129:845-859
- Li, Z., Yuan, C., Herrera-Foessel, S., Randhawa, M.S., Huerta-Espino, J., D, Liu, Dreisigacker, S., Singh, R.P., Lan, C. 2019. Four consistent loci confer adult plant resistance to leaf rust in the durum wheat lines Heller#1 and Dunkler. *Phytopathology* <https://doi.org/10.1094/PHYTO-09-19-0348-R>
- Lillemo M, Singh RP, van Ginkel M (2010) Identification of stable resistance to powdery mildew in wheat based on parametric and non-parametric methods. *Crop Science* 50:478-485

DRRW / DGGW 2008-2019 Publications (Open Access)

- Lin X, N'Diaye A, Walkowiak S, Nilsen KT, Cory AT, Haile J, Kutcher HR, Ammar K, Loladze A, Huerta Espino J, Clarke JM, Ruan Y, Knox R, Fobert P, Sharpe AG and Pozniak CJ (2018) Genetic analysis of resistance to stripe rust in durum wheat (*Triticum turgidum* L. var. durum). PLoS ONE 13(9):e0203283. doi:10.1371/journal.pone.0203283
- Liu S, Yu L, Singh RP, Jin Y, Sorrells ME, Anderson JA (2010) Diagnostic and co-dominant PCR markers for wheat stem rust resistance genes Sr25 and Sr26. Theoretical and Applied Genetics 120:691-697
- Liu W, Danilova TV, Rouse MN, Bowden RL, Friebe B, Gill BS and Pumphrey MO (2013) Development and characterization of a compensating wheat–*Thinopyrum intermedium* Robertsonian translocation with Sr44 resistance to stem rust (Ug99). Theor Appl Genet 126(5):1167-1177
- Liu W, Jin Y, Rouse M, Friebe B, Gill BS, Pumphrey MO (2011) Development and characterization of wheat-Ae. searsii Robertsonian translocations and a recombinant chromosome conferring resistance to stem rust. Theor Appl Genet 122:1537–1545. doi:10.1007/s00122-011-1553-4
- Liu W, Rouse M, Friebe B, Jin Y, Gill BS, Pumphrey MO (2011) Discovery and molecular mapping of a new gene conferring resistance to stem rust, Sr53, derived from *Aegilops geniculata* and characterization of spontaneous translocation stocks with reduced alien chromatin. Chromosome Res 19:669–682. doi:10.1007/s10577-011-9226-3
- Lodhi S, Bariana H, Randhawa M, Gul A, John P, Bansal U (2019) Identification of recombinants carrying stripe rust resistance gene Yr57 and adult plant stem rust resistance gene Sr2 through marker assisted selection. Plant Breeding. doi:10.1111/pbr.12674
- Lodhi, S., Bariana, H., Randhawa, M., Gul, A., John, P., Bansal, U. 2019. Identification of recombinants carrying stripe rust resistance gene Yr57 and adult plant stem rust resistance gene Sr2 through marker assisted selection. Plant Breeding, doi: <https://doi.org/10.1111/pbr.12674>.
- Long-Xi Y; Barbier H, Rouse MN, Singh S, Singh RP, Bhavani S, Huerta-Espino J and Sorrells ME (2014) A consensus map for Ug99 stem rust resistance loci in wheat. Theor Appl Genet 127(7):1561-1581
- López F. D. E., Badstue, L., Hailemariam, M., and Abeyo, B. G. 2019. Gender and agricultural innovation in oromia region, ethiopia: gender, technology and development. 22:222-245.
- Lopez-Cruz M, Crossa J, Bonnett D, Dreisigacker S, Poland J, Jannink JL Singh RP, Autrique E and de los Campos G (2015) Increased prediction accuracy in wheat breeding trials using a marker x environment interaction genomic selection model. G3: Genes Genomes Genetics 5:569-582
- Lopez-Vera EE, Nelson S, Singh RP, Basnet BR, Haley SD, Bhavani S, Huerta-Espino J, Xoconostle-Cazares BG, Ruiz-Medrano R, Rouse MN and Singh S (2014) Resistance to stem rust Ug99 in six bread wheat cultivars maps to chromosome 6DS. Theor Appl Genet. 127:231-239. doi:10.1007/s00122-013-2212-8
- Lowe I, Cantu D, Dubcovsky J (2011) Durable resistance to the wheat rusts: integrating systems biology and traditional phenotype-based research methods to guide the deployment of resistance genes. Euphytica 179:69–79
- Lowe IZ, Soria MA (2010) Disease resistance. Stem rust resistance: Sr26. MASWheat, University of California, Davis URL <http://maswheat.ucdavis.edu/protocols/Sr26/index.htm>
- Maccaferri M, Zhang J, Bulli P, Abate Z, Chao S, Cantu D, Bossolini E, Chen X, Pumphrey M, and Dubcovsky JA (2015) Genome-Wide Association Study (GWAS) of resistance to stripe rust (*Puccinia*

DRRW / DGGW 2008-2019 Publications (Open Access)

- striiformis* f. sp. *tritici*) in a worldwide collection of hexaploid spring wheat (*Triticum aestivum* L.). G3: Genes|Genomes|Genetics 5:449-465. PMC4349098
- Magallanes-Lopez AM, Ammar K, Morales-Dorantes A, Gonzalez-Santoyo H, Crossa J, Guzman C (2017) Grain quality traits of commercial durum wheat varieties and their relationships with drought stress and glutenins composition. J. of Cereal Science 75:1-9. doi:10.1016/j.jcs.2017.03.005
- Magallanes-Lopez AM, Hernandez-Espinosa N, Velu G, Posadas-Romano G, Ordonez-Villegas VMG, Crossa J, Ammar K, Guzman C (2017) Variability in iron, zinc and phytic acid content in a worldwide collection of commercial durum wheat cultivars and the effect of reduced irrigation on these traits. Food Chemistry 237:499-505. doi:10.1016/j.foodchem.2017.05.110
- Mago R, Brown-Guedira S, Dreisigacker S, Breen J, Jin Y, Singh R, Appels R, Lagudah ES, Ellis J, Spielmeier W (2011) Theor Appl Genet 122:735–744. doi:10.1007/s00122-010-1482-7
- Mago R, Dundas I (2010) Disease resistance. Stem rust resistance: Sr39. MASWheat, University of California, Davis URL <http://maswheat.ucdavis.edu/protocols/Sr39/index.htm>
- Mago R, Zhang P, Bariana HS, Verlin DC, Bansal UK, Ellis JG, Dundas IS (2009) Development of wheat lines carrying stem rust resistance gene Sr39 with reduced Aegilops speltoides chromatin and a simple PCR marker for marker-assisted selection of the gene. Theoretical and Applied Genetics 119: 1441-1450
- Mago R, Zhang P, Vautrin S, Simkova H, Bansal U, Luo MC, Rouse M, Karaoglu H, Periyannan S, Kolmer J, Jin Y, Ayliffe M, Bariana H, Park R, McIntosh R, Dolezel J, Berges H, Spielmeier W, Lagudah E, Ellis J, Dodds P (2015). The wheat *Sr50* gene reveals rich diversity at a cereal disease resistance locus. Nature Plants 1:15186
- Majd Taheri Z., Z. Tanha Maafi, K. Nazari, K. Zaynali Nezhad, F. Rakhshandehroo, A.A. Dababat 2019. Combined study on genetic diversity of wheat genotypes using SNP marker and phenotypic reaction to *Heterodera filipjevi*. Genetic Resources and Crop Evolution 66, 791–1811. 10.1007/s10722-019-00836-z.
- Mamo BE, Smith KP, Brueggeman RS and Steffenson B J (2015) Genetic characterization of resistance to wheat stem rust race TTKSK in landrace and wild barley accessions identifies the *rpg4/Rpg5* locus. Phytopathology 105:99-109. doi:10.1094/PHYTO-12-13-0340-R
- Mandoulakani BA, Yaniv E, Kalendar R, Raats D, Bariana HS, Bihamta MR, Schulman AH (2015) Development of IRAP- and REMAP-derived SCAR markers for marker-assisted selection of the stripe rust resistance gene *Yr15* derived from wild emmer wheat. Theoretical and Applied Genetics 128:211–219
- Marais F, Marais A, Mccallum B and Pretorius Z (2009) Transfer of Leaf Rust and Stripe Rust Resistance Genes *Lr62* and *Yr42* from *Aegilops neglecta* Req. ex Bertol. to Common Wheat. Crop Science, 49, 871-9
- Marais GF, Badenhorst PE, Eksteen A, Pretorius ZA (2010) Reduction of *Aegilops sharonensis* chromatin associated with resistance genes *Lr56* and *Yr38* in wheat. Euphytica 171 (1): 15-22. doi:10.1007/s10681-009-9973-9
- Marais GF, Marais AS, Eksteen A, Pretorius ZA (2010) Modification of the *Aegilops neglecta* – common wheat *Lr62/Yr42* translocation through allosyndetic pairing induction. South African Journal of Plant and Soil 27(2): 142-151

DRRW / DGGW 2008-2019 Publications (Open Access)

- McArthur RI, Zhu XW, Oliver RE, Klindworth DL, Xu SS, Stack RW, Wang R R-C, Cai X (2012) Homoeology of *Thinopyrum junceum* and *Elymus rectisetus* chromosomes to wheat and disease resistance conferred by the *Thinopyrum* and *Elymus* chromosomes in wheat. *Chromosome Res* 20(6):699-715. doi:10.1007/s10577-012-9307-y
- McIntosh RA and Pretorius ZA (2011) Borlaug Global Rust Initiative provides momentum for wheat rust research. *Euphytica* 179:1–2
- Mekonnen T., T. Haileselassie, T. Kaul, M. Sharma, B. Geleta and K. Tesfaye. 2019. Molecular screening of *Zymoseptoria tritici* resistance genes in wheat (*Triticum aestivum* L.) using tightly linked simple sequence repeat markers. *Eur. J Plant Pathol.* 155:593-614.
- Melo, ATO, Bartaula R and Hale I (2016) GBS-SNP-CROP: a reference-optional pipeline for SNP discovery and plant germplasm characterization using variable length, paired-end genotyping-by-sequencing data. *BMC bioinformatics* 17.1: 1
- Menzies JG, Steffenson BJ, Kleinhofs A (2010) A resistance gene to *Ustilago nuda* in barley is located on chromosome 3H. *Canadian Journal of Plant Pathology* 32: 247-251
- Mert Z, Karakaya A, Akan K, Çetin L, Düşünceli F (2012) Determination of the reactions of some wheat genotypes to different stem rust races. *Plant Protection Bulletin* 52(3):207-221
- Mert Z, Nazari K, Karagöz E, Akan K, Öztürk İ and Tülek A (2015) First Incursion of the “Warrior” Race of Wheat Stripe Rust (*Puccinia striiformis* f. sp. *tritici*) to Turkey in 2014. *Plant Disease* <http://dx.doi.org/10.1094/PDIS-07-15-0827-PDN>
- Mesut K, Gummadov N, Aki B, Belen S, Mert Z, Taner S, Topal A, Yazar S, Morgounov A, Sharma RC, Ozdemir F (2017) Genetic gains in wheat in Turkey: Winter wheat for dryland conditions. *The Crop Journal* 5:533-540. DOI:10.1016/j.cj.2017.04.004
- Meyer M, Burgin L, Hort MC, Hodson DP, Gilligan CA (2017) Large-Scale Atmospheric Dispersal Simulations Identify Likely Airborne Incursion Routes of Wheat Stem Rust Into Ethiopia. *Phytopathology* 107, 1175-1186
- Meyer M, Cox JA, Hitchings MDT, Burgin L, Hort MC, Hodson DP, Gilligan CA (2017) Quantifying airborne dispersal routes of pathogens over continents to safeguard global wheat supply. *Nature Plants* 3, 780-786. doi:10.1038/s41477-017-0017-5
- Millet E, Manisterski J, Ben-Yehuda P, Distelfeld A, Deek J, Wan A, Chen X and Steffenson BJ (2014) Introgression of leaf rust and stripe rust resistance from Sharon goatgrass (*Aegilops sharonensis* Eig) into bread wheat (*Triticum aestivum* L.) *Genome* 57:309–316. dx.doi.org/10.1139/gen-2014-0004
- Miraghazadeh A, Zhang P, Harding C, Hossain S, Spielmeier W, Chandler P (2014) Deletion mutants of wheat chromosome 4B. *ComBio2014*, pp. 132
- Mohler VM, Singh D, Singrün C, Park RF (2012) Characterization and mapping of *Lr65* in spelt wheat “Altgold Rotkorn”. *Plant Breeding* 131: 252-257
- Molina LJ, Huerta-Espino J, Singh RP, Basnet BR, Alvarado G, Randhawa MS, Lan C, Augilar-Rincon VH, Lobato-Ortiz R and Garcia-Zavala JJ (2018). Characterization of leaf rust and yellow rust resistance in spring wheat ‘Chilero’. *Plant Dis.* 102:421-427. doi:10.1094/PDIS-11-16-1545-RE

DRRW / DGGW 2008-2019 Publications (Open Access)

- Mondal S, Singh RP, Huerta-Espino J, Kehel Z and Autrique E (2015) Characterization of heat and drought stress tolerance in high-yielding spring wheat. *Crop Sci.* 55:1–11. doi:10.2135/cropsci2014.10.0709
- Montesinos López A, Montesinos López OA, Cuevas J, Mata-López WA, Burgueño J, Mondal S, Huerta J, Singh R, Autrique E, González-Pérez L, Crossa J (2017) Genomic Bayesian functional regression models with interactions for predicting wheat grain yield using hyper-spectral image data. *Plant Methods* 13:62 (p.1-29) doi:10.1186/s13007-017-0212-4
- Montesinos-López O. A., J. Martín-Vallejo, Crossa, J., Gianola, D., Hernández-Suárez, C.M., Montesinos-López, A., Juliana, P., and Singh, R. 2019. A benchmarking between deep learning, Support, vector machine and Bayesian threshold best linear unbiased prediction for predicting ordinal traits in plant breeding. *G3 Genes|Genomes|Genetics* 9:601-618. Doi: 10.1534/g3.118.200998
- Montesinos-López O. A., J. Martín-Vallejo, Crossa, J., Gianola, D., Hernández-Suárez, C.M., Montesinos-López, A., Juliana, P., and Singh, R. 2019. New deep learning genomic-based prediction model for multiple traits with binary, ordinal, and continuous phenotypes. *G3:Genes|Genomes|Genetics* 9:1545-1556. Doi:10.1534/g3.119.300585
- Montesinos-López O.A., Montesinos-López, A., Crossa J., Cuevas, J., Montesinos-López J.C, Gutiérrez Z. Salas, Lillemo, M., Philomin, J. and Singh, R. 2019. A bayesian genomic multi-output regressor stacking model for predicting multi-trait multi-environment plant breeding data. *G3 Genes|Genomes|Genetics* 9:3381-3392. DOI:10.1534/g3.119.400336
- Montesinos-López OA, FLuna-Vázquez FJ, Montesinos-López A, Juliana P, Singh R, Crossa J (2018) An R Package for multitrait and multienvironment data with the item-based collaborative filtering algorithm. *Plant Genome* 11:180013. doi:10.3835/plantgenome2018.02.0013
- Montesinos-López OA, Montesinos-López A, Crossa J, Kismiantini, Ramírez-Alcaraz JM, Singh R, Mondal S and Juliana P (2018) A singular value decomposition Bayesian multiple-trait and multiple-environment genomic model. *Heredity.* doi:10.1038/s41437-018-0109-7
- Montesinos-López OA, Montesinos-López A, Crossa J, Montesinos-López JC, Mota-Sanchez D, FEstrada-González F, Gillberg J, Singh R, Mondal S and Juliana P (2018) Prediction of multiple-trait and multiple-environment genomic data using recommender systems. *G3 Genes Genomes Genetics* 8:131-147. ORCID ID:0000-0001-9429-5855 (J.C.)
- Montesinos-López, O.A., Montesinos-López A., Tuberosa R., Maccaferri, M., Sciara, G., Ammar, K. and Crossa, J. 2019. Multi-trait, multi-environment genomic prediction of durum wheat with genomic best linear unbiased predictor and deep learning methods. *Front. Plant Sci.* 10:1311. doi: 10.3389/fpls.2019.01311
- Moore JW, Foessel-Herrera S, Lan C, Schnippenkoetter W, Ayliffe M, Espino-Huerta J, Lillemo M, Milne R, Viccars L, Periyannan S, Kong X, Spielmeier W, Talbot M, Bariana H, Patrick J, Dodds P, Singh R, Lagudah E (2015). Recent evolution of a hexose transporter variant confers field resistance to multiple pathogens in wheat. *Nature Genetics* 47:1494-1498
- Morgounov A, Ablava I, Babayants O, Babayants L, Bepalova L, Khudokormov Zh, Litvinenko N, Shamanin V, Syukov V (2010) Genetic protection of wheat from rusts and development of resistant varieties in Russia and Ukraine. *Euphytica.* 179:2(297-3110, doi:10.1007/s10681-010-0326-5

DRRW / DGGW 2008-2019 Publications (Open Access)

- Morgounov A, Abugalieva A, Akan K, Akın B, Baenziger S, Bhatta M, Dababat AA, et al. (2017) High-yielding winter synthetic hexaploid wheats resistant to multiple diseases and pests. *Plant Genetic Resources* 1-6. doi:10.1017/S147926211700017X
- Morgounov A, Sonder K, Abugalieva A, Bhadauria V, Cuthbert RD, Shamanin V, Zelenskiy Y and DePauw RM. 2018. Effect of climate change on spring wheat yields in North America and Eurasia in 1981-2015 and implications for breeding. *PLoS ONE*, 13 (10), art. no. e0204932. doi:10.1371/journal.pone.0204932
- Moscou, MJ, Lauter N, Steffenson BJ, Wise R P (2011) Quantitative and qualitative stem rust resistance factors in barley are associated with transcriptional suppression of defense regulons. *PLoS Genetics* 7(7): e1002208. doi:10.1371/journal.pgen.1002208
- Mukoyi F, Soko T, Mulima E, Mutari B, Hodson D, Herselman L, Visser B and Pretorius ZA (2011) Detection of variants of wheat stem rust race Ug99 (*Puccinia graminis* f. sp. *tritici*) in Zimbabwe and Mozambique. *Plant Disease* 95(9):1188
- Muleta KT, Rouse MN, Ryneerson S, Chen X, Buta BG, Pumphrey MO (2017) Characterization of molecular diversity and genome-wide mapping of loci associated with resistance to stripe rust and stem rust in Ethiopian bread wheat accessions. *BMC Plant Biology* 17:134. doi:10.1186/s12870-017-1082-7
- Mustarin K, Malaker PK, Reza MMA, Hossain MS, Hakim MA, Barma NCD, Mokhlesur Rahman M, Islam R and Mahbubur Rahman M (2014) A survey to assess wheat rust incidence in Bangladesh during 2010-2011 wheat growing season. *Bangladesh J. Plant Pathol.* 30(1&2):1-5
- N'Diaye A, Haile JK, Fowler BD, Ammar K and Pozniak CJ (2017). Effect of Co-segregating Markers on High-Density Genetic Maps and Prediction of Map Expansion Using Machine Learning Algorithms. *Front. Plant Sci.* 8:1434. doi:10.3389/fpls.2017.01434
- Nakamura S, Makiko C, Stehno Z, Holubec V, Morishige H, Pourkheirandish M, Kanamori H, Wu J, Matsumoto T, Komatsuda T (2015) Diversification of the promoter sequences of wheat *Mother of FT and TFL1* on chromosome 3A
- Nazari K, Mafi M, Yahyaoui A, Singh RP, Park RF (2009) Detection of wheat stem rust (*Puccinia graminis* f. sp. *tritici*) race TTKSK (Ug99) in Iran. *Plant Disease* 93: 317
- Nazari K, Yahyaoui A, Abdalla O, Nachit M, Ogbonnaya F, Brettell, Rajaram S (2009) Wheat rust diseases in Central and West Asia and North Africa (CWANA) and breeding for the multiple disease resistance. In. Karaj, Iran: Agricultural Biotechnology Research Insititute of Iran (ABRII)
- Nazco R, Villegas D, Ammar K, Peña RJ, Moragues M, Royo C (2011) Can Mediterranean durum wheat landraces contribute to improved grain quality attributes in modern cultivars? *Euphytica* (DOI) 10.1007/s10681-011-0588-6
- Newcomb M, Olivera PD, Rouse MN, Szabo LJ, Johnson J, Gale S, Luster DG, Wanyera R, Macharia G, Bhavani S, Hodson D, Patpour M, Hovmøller MS, Fetch Jr TG and Jin Y (2016) Kenyan isolates of *Puccinia graminis* f. sp. *tritici* from 2008 to 2014: Virulence to *SrTpm* in the Ug99 race group and implications for breeding programs. *Phytopathology* 106(7):729-36. doi:10.1094/PHYTO-12-15-0337-R
- Newton AC, Flavell AJ, George TS, Leat P, Mullholland B, Ramsay L, Revoredo-Giha C, Russell J, Steffenson BJ, Swanston JS, Thomas WTB, Waugh R, White PJ, Bingham IJ (2011) Crops that feed the

DRRW / DGGW 2008-2019 Publications (Open Access)

- world 4. Barley: a resilient crop? Strengths and weaknesses in the context of food security. *Food Sec* 3:141–178
- Newton AC, Johnson SN, Gregory PJ (2011) Implications of climate change for diseases, crop yields and food security. *Euphytica* 179:3–18. doi:10.1007/s10681-011-0359-4
- Ning Z, Peng W, Yongchun Q (2010) Analysis of resistance to stem rust in wheat cultivars and lines from some wheat regions of China, *Journal of Triticeae Crops*, 30(5): 944-947
- Nirmala J, Chao S, Olivera P, Babiker EM, Abeyo B, Tadesse Z, Imtiaz M, Talbert L, Blake NK, Akhunov E, Pumphrey MO, Jin Y, Rouse MN (2016) Markers linked to wheat stem rust resistance gene *Sr11* effective to *Puccinia graminis* f. sp. *tritici* race TKTF. *Phytopathology* 106:1352-1358. Doi:10.1094/PHYTO-04-16-0165-R
- Nirmala J, Drader T, Chen X, Steffenson B, Kleinhofs A (2010) Stem rust spores elicit rapid RPG1 phosphorylation. *Mol. Plant-Microbe Interact* 23(12):1635–42. doi:10.1094/MPMI-06-10-0136
- Nirmala J, Drader T, Lawrence PK, Yin C, Steber CM, Steffenson BJ, Szabo LJ, von Wettstein D, Kleinhofs A (2011) Concerted action of two avirulent spore effectors activates Reaction to *Puccinia graminis* 1 (Rpg1)-mediated cereal stem rust resistance. *PNAS* 108:14676–14681. doi:10.1073/pnas.1111771108
- Nirmala J, Saini J, Newcomb M, Olivera P, Gale S, Klindworth D, Elias E, Talbert L, Chao S, Faris J, Xu S, Jin Y, Rouse MN (2017) Discovery of a novel stem rust resistance allele in durum wheat that exhibits differential reactions to Ug99 isolates. *G3: Genes, Genomes, Genetics*. doi:10.1534/g3.117.300209.
- Niu Z, Klindworth DL, Yu G, Friesen TL, Chao S, Jin Y, Cai X, Ohm JB, Rasmussen JB and Xu SS (2014) Development and characterization of wheat lines carrying stem rust resistance gene *Sr43* derived from *Thinopyrum ponticum*. *Theor Appl Genet* 127:969–980
- Niu Z, Puri KD, Chao S, Jin Y, Steffenson B, Xu S and Zhong S (2014) Genetic analysis and molecular mapping of crown rust resistance in common wheat. *Theor Appl Genet* 127:609-619
- Niu Z, Puri KD, Chao S, Jin Y, Sun Y, Steffenson BJ, Maan SS, Xu SS, Zhong S (2014) Genetic analysis and molecular mapping of crown rust resistance in common wheat. *Theor. Appl. Genet.* 127:609-619. doi:10.1007/s00122-013-2245-z
- Niu ZX, Klindworth DL, Friesen TL, Chao S, Jin Y, Cai X, Xu SS (2011) Targeted introgression of a wheat stem rust resistance gene by DNA marker-assisted chromosome engineering. *Genetics* doi:10.1534/genetics.110.123588, 187:1011–1021
- Niu ZX, Klindworth DL, Yu GT, Friesen TL, Chao S, Jin Y, Cai X, Rasmussen JB, Xu SS (2014) Development and characterization of wheat lines carrying *Sr43* for stem rust resistance derived from *Thinopyrum ponticum*. *Theor Appl Genet.* 4:969-80. doi:10.1007/s00122-014-2272-4
- Njau PN, Bhavani S, Keller B, Singh RP (2012) Identification of QTL associated with durable adult plant resistance to stem rust Ug99 in wheat cultivar ‘Pavon 76’. *Euphytica* ISSN:0014-2336
- Njau PN, Jin Y, Heurta-Espino J, Keller B, Singh R (2010) Identification and evaluation of new sources of resistance to stem rust race Ug99 in wheat. *Plant Disease* 94:413-419

DRRW / DGGW 2008-2019 Publications (Open Access)

- Njau PN, Jin Y, Huerta-Espino J, Keller B, Singh R (2009) Genotyping of U.S. wheat germplasm for presence of stem rust resistance genes *Sr24*, *Sr36*, and *Sr1RS*. *Crop Science*. 50:2(668-675)
doi:10.2135/cropsci2009.04.0218
- Njau PN, Wanyera R, Singh D, Singh R, Gethi M (2011) Release of stem rust resistant wheat varieties for commercial production in Kenya. *Journal of Agricultural Science and Technology A* 1:587–598
- Odemba M, Owuoche J, Okiror M, Wanyera R (2018) Evaluation of CIMMYT wheat (*Triticum aestivum* L.) lines for seedling and adult plant resistance to stem rust (*Puccinia graminis* f.sp *tritici*) race Ug99 and its variants. *Int. J. Agron. Agri. Res.* 12(4), 53-63. www.innspub.net
- Olivera Firpo et al., 2017. Characterization of *Puccinia graminis* f. sp. *tritici* isolates derived from an unusual wheat stem rust outbreak in Germany in 2013. *Plant Pathol*, 66: 1258-1266.
doi:10.1111/ppa.12674
- Olivera P, Newcomb M, Szabo LJ, Rouse M, Johnson J, Gale S, Luster DG, Hodson D, Cox GA, Burgin L, Hort M, Gilligan CA, Patpour M, Justesen AF, Hovmøller MS, Woldeab G, Hailu E, Hundie B, Tadesse K, Pumphrey M, Singh RP and Jin Y (2015) Phenotypic and Genotypic Characterization of Race TKTTF of *Puccinia graminis* f. sp. *Tritici* that Caused a Wheat Stem Rust Epidemic in Southern Ethiopia in 2013–14. *Phytopathology* 105, 917-928
- Olivera PD, Badebo A, Xu SS, Klindworth DL, Jin Y (2012). Resistance to race TTKSK of *Puccinia graminis* f. sp. *tritici* in emmer wheat. *Crop Sci*. 52:2234-2242
- Olivera PD, Jin Y, Rouse M, Badebo A, Fetch T Jr, Singh RP, Yahyaoui A (2012) Races of *Puccinia graminis* f. sp. *tritici* with combined virulence to *Sr13* and *Sr9e* in a field stem rust screening nursery in Ethiopia. *Plant Dis* 96:623-628
- Olivera PD, Newcomb M, Flath K, Sommerfeldt-Impe N, Szabo LZ, Carter M, Luster DG, Jin Y (2017) Characterization of *Puccinia graminis* f. sp. *tritici* isolates derived from an unusual wheat stem rust outbreak in Germany in 2013. *Plant Pathology* 66:1258-1266. doi: 10.1111/ppa.12674
- Olivera PD, Pretorius Z, Badebo A, Jin Y (2013) Identification of resistance to races of *Puccinia graminis* f. sp. *tritici* with broad virulence in triticale (X *Triticosecale*). *Plant Dis* 97:4(479-484).doi:10.1094/PDIS-05-12-0459-RE
- Olivera PD, Rouse MN, Jin Y (2018) Identification of new sources of resistance to wheat stem rust in *Aegilops* spp. In the tertiary gene pool of wheat. *Front. Plant Sci.* 9:1719.
- Olivera, P. D., Z. Sikharulidze, R. Dumbadze, L. J. Szabo, M. Newcomb, K. Natsarishvili, M. N. Rouse, D. G. Luster, Y. Jin. 2019. Presence of a sexual population of *Puccinia graminis* f. sp. *tritici* in Georgia provides a hotspot for genotypic and phenotypic diversity. *Phytopathology* 109: 2152-2160.
- Olson EL, Brown-Guedira G, Marshall DS, Jin Y, Mergoum M, Lowe I, Dubcovsky J (2010) Genotyping of U.S. wheat germplasm for presence of stem rust resistance genes *Sr24*, *Sr36*, and *Sr1RSAmigo*. *Crop Science* 50:668-675
- Olson EL, Brown-Guedira G, Marshall DS, Stack E, Bowden R, Jin Y, Rouse M, Pumphrey M (2010) Development of wheat lines having a small introgressed segment carrying stem rust resistance gene *Sr22*. *Crop Sci* 50:1823-1830. doi:10.2135/cropsci2009.11.0652

DRRW / DGGW 2008-2019 Publications (Open Access)

- Olson EL, Rouse MN, Pumphrey MO, Bowden RL, Gill BS, Poland JA (2013) Simultaneous transfer, introgression, and genomic localization of genes for resistance to stem rust race TTKSK (Ug99) from *Aegilops tauschii* into wheat. *Theor Appl Genet* 5:1179-88. doi:10.1007/s00122-013-2045-5
- Osman M, He X, Singh RP, Duveiller E, Lillemo M, Pereyra SA, Westerdijk-Hoks I, Kurushima M, au S, Benedettelli S and Singh PK (2015) Phenotypic and genotypic characterization of CIMMYT's 15th international Fusarium head blight screening nursery of wheat. *Euphytica* 205:521-537. doi:10.1007/s10681-015-1425-0
- Park R, Fetch T, Hodson D, Jin Y, Nazari K, Prashar M and Pretorius Z (2011) International surveillance of wheat rust pathogens: Progress and challenges. *Euphytica* 179:109-117. doi:10.1007/s10681-011-0375-4
- Park RF (2015) Long term surveys of pathogen populations underpin sustained control of the rust diseases of wheat in Australia. *Journal of the Royal Society of New South Wales* 148: 15-27
- Park RF, Golegaonkar PG, Derevnina L, Sandhu KS, Karaoglu H, Elmansour HM, Dracatos PM and Singh D (2015) Leaf Rust of Cultivated Barley: Pathology and Control. *Annual Review of Phytopathology* 53:26.1-26.25
- Park RF, Mohler VM, Nazari K, Singh D (2014) Characterisation and mapping of gene Lr73 conferring seedling resistance to *Puccinia triticina* in common wheat. *Theor. Appl. Genet.* (2014) 127:2041-2049. doi:10.1007/s00122-014-2359-y
- Park, RF and Wellings CR (2012) Somatic hybridisation in the Uredinales. *Annual Review of Phytopathology* 50:219-239
- Patpour et al., 2020. First Report of Race TTRTF of Wheat Stem Rust (*Puccinia graminis f. sp. tritici*) in Eritrea. *Plant Disease* 2020 104:3, 973 <https://apsjournals.apsnet.org/doi/10.1094/PDIS-10-19-2133-PDN>
- Patpour M, Hovmøller M, Shahin A, Newcomb M, Olivera FPD, Jin Y, Luster DG, Hodson D, Nazari K, Azab M (2015) First Report of the Ug99 race group of Wheat Stem Rust, *Puccinia graminis f. sp. tritici*, in Egypt in 2014. *Plant Disease*. doi:http://dx.doi.org/10.1094/PDIS-08-15-0938-PDN
- Patpour M, Hovmøller MS, Hodson D (2017) First Report of Virulence to Sr25 in Race TKTF of *Puccinia graminis f. sp. tritici* Causing Stem Rust on Wheat. *Plant Disease*, PDIS-11-16-1666-PDN.
- Patpour M, Nazari K, Ogbonnaya F, Alavi SM and Mousavi A (2014) Detection of Resistance Sources to Iranian Prevalent Stem Rust Races in Commercial Wheat Cultivars. *Seed and Plant Improvement Journal*: 30 (1): 133-154
- Patpour M, Nazari K, Ogbonnaya F, Alavi SM and Mousavi A (2014) Phenotypic and molecular characterization of resistance to stem rust in wheat cultivars and advanced breeding lines from Iran and Syria. *Crop Breeding Journal* 4 (1):1-14
- Patpour M, Justesen AF, Hovmøller, MS, Newcomb M, Olivera P, Jin Y, Szabo LJ, Hodson, D, Shahin AA, Wanyera R, Habarurema I, Wobibi S (2015) Emergence of virulence to *SrTmp* in the Ug99 race group of wheat stem rust, *Puccinia graminis f. sp. tritici*, in Africa. *Plant Disease* 100 (2): 522. <http://dx.doi.org/10.1094/PDIS-06-15-0668-PDN>
- Pérez-Rodríguez P, Crossa J, Rutkoski J, Poland J, Singh R, Legarra A, Autrique E, Campos GL, Burgueño J, Dreisigacker S (2017) Single-step genomic and pedigree genotype × environment interaction models

DRRW / DGGW 2008-2019 Publications (Open Access)

- for predicting wheat lines in international environments. *The Plant Genome* 10(2). doi:10.3835/plantgenome2016.09.0089
- Periyannan S, Bansal U, Bariana H, Deal K, Luo M, Dvorak J, Lagudah E (2014) Identification of a robust marker closely linked with the stem rust resistance gene *Sr45* introgressed into bread wheat. *Theor Appl Genet* 127:947-955
- Periyannan S, Bansal UK, Bariana HS, Pumphrey M, Lagudah ES (2010) A robust molecular marker for the detection of shortened introgressed segment carrying the stem rust resistance gene *Sr22* in common wheat. *Theoretical and Applied Genetics* doi:10.1007/s00122-010-1417-3
- Periyannan SK, Qamar ZU, Bansal UK and Bariana HS (2014) Development and validation of molecular markers linked with stem rust resistance gene *Sr13* in durum wheat. *Crop & Pasture Science* 65:74-79
- Poland J, Endelman J, Dawson J, Rutkoski J, Wu S, Manes Y, Dreisigacker S, Crossa J, Sanchez-Villeda H, Sorrells ME, Jannink J-L (2012) Genomic Selection in Wheat Breeding using Genotyping-by-Sequencing. *The Plant Genome* 3:103-113 doi:10.3835/plantgenome2012.06.0006
- Poland, JA, Brown PJ, Sorrells ME, Jannink J-L (2012) Development of high-density genetic maps for barley and wheat using a novel two-enzyme genotyping-by-sequencing approach. *PLoS ONE* 7: e32253. doi:10.1371/journal.pone.0032253
- Ponce-Molina LJ, Huerta-Espino J, Singh RP, Basnet BR, Aguilar-Rincón VH, Alvarado G, Lobato-Ortiz R, García-Zavala JJ, Randhawa MS, Lan C (2018) Characterization of leaf rust and stripe rust resistance in spring wheat 'Chilero'. *Plant Disease* 102: 421-427
- Ponce-Molina LJ, Huerta-Espino J, Singh RP, Basnet BR, Lagudah E, Aguilar-Rincón VH, Alvarado G, Lobato-Ortiz R, García-Zavala J and Lan C. (2018) Characterization of adult plant resistance to leaf rust and stripe rust in Indian wheat cultivar 'New Pusa 876'. *Crop Sci.* 58:630–638. doi:10.2135/cropsci2017.06.0396
- Pourkheirandish M, Hensel G, Kilian B, Senthil N, Chen G, Sameri M, Azhaguvel P, Sakuma S, Dhanagond S, Sharma R, Mascher M, Himmelbach A, Gottwald S, Nair S. K, Tagiri A, Yukuhiro F, Nagamura Y, Kanamori H, Matsumoto T, Willcox G, Middleton C. P, Wicker T, Walther A, Waugh R, Fincher G. B, Stein N, Kumlehn J, Sato K, Komatsuda T. (2015) Evolution of the grain dispersal system in barley. *Cell* 162(3):527-39. doi: 10.1016/j.cell.2015.07.002.
- Pretorius Z, Visser B, Terefe T, Herselman L, Prins R, Soko T, Siwale J, Mutari B, Selinga T and Hodson D (2014) Races of *Puccinia triticina* detected on wheat in Zimbabwe, Zambia and Malawi and regional germplasm responses. *Australasian Plant Pathology* 44: 217. doi:10.1007/s13313-014-0339-y
- Pretorius ZA and Bender CM (2010) First report of virulence for the wheat leaf rust (*Puccinia triticina*) resistance gene *Lr32* in South Africa. *Plant Disease* 94(3) 381. doi:10.1094/PDIS-94-3-0381A
- Pretorius ZA, Bender CM and Visser B (2015) The rusts of wild rye in South Africa. *SA J Bot* 96:94-98
- Pretorius ZA, Bender CM, Visser B, Terefe T (2010) First report of a *Puccinia graminis* f. sp. *tritici* race virulent to the *Sr24* and *Sr31* wheat stem rust resistance genes in South Africa. *Plant Disease* 94 (6): 784. doi:10.1094/PDIS-94-6-0784C

DRRW / DGGW 2008-2019 Publications (Open Access)

- Pretorius ZA, Jin Y, Bender CM, Herselman L, Prins R (2012) Seedling resistance to stem rust race Ug99 and marker analysis for *Sr2*, *Sr24* and *Sr31* in South African wheat cultivars and lines. *Euphytica* 186(1):15-23 doi:10.1007/s10681-011-0476-0
- Pretorius ZA, Lan CX, Prins R, Knight V, McLaren NW, Singh RP, Bender CM, Kloppers FJ (2017) Application of remote sensing to identify adult plant resistance loci to stripe rust in two bread wheat mapping populations. *Precision Agric.*18:411-428. doi:10.1007/s11119-016-9461-x
- Pretorius ZA, Prins R, Malaker PK, Thapa D, Bansal U, Cisar GS, Park RF (2014) Assessing the vulnerability of wheat germplasm from Bangladesh and Nepal to African stem rust. *Phytoparasitica* doi:10.1007/s12600-015-0487-9
- Pretorius ZA, Szabo LJ, Boshoff WHP, Herselman L, Visser B (2012) First report of a new TTKSF race of wheat stem rust (*Puccinia graminis* f. sp. *tritici*) in South Africa and Zimbabwe. *Plant Disease* 96: 590. doi:10.1094/PDIS-12-11-1027-PDN
- Prins R, Pretorius ZA, Bender CM, Lehmensiek A (2010) QTL mapping of stripe, leaf and stem rust resistance genes in a Karioga x Avocet S doubled haploid wheat population. *Molecular Breeding*. doi:10.1007/s11032-010-9428-y
- Pujol V, Forrest K L, Zhang P, Rouse MN, Hayden MJ, Huang L, Tabe L, Lagudah E (2015) Identification of a stem rust resistance locus effective against Ug99 on wheat chromosome 7AL using a RAD-Seq approach. *Theor Appl Genet.* 128:1397–1405
- Qamar Z, Bansal UK, Dong CM, Alfred RL, Bhave M, Bariana HS (2014) Detection of Puroindoline (*Pina-D1* and *Pinb-D1*) allelic variation in wheat landraces. *J Cereal Sci* 2014: 1-7. doi:10.1016/j.jcs.2014.07.007
- Qi LL, Pumphrey MO, Friebe B, Zhang P, Chen Q, Bowden RL, Rouse MN, Jin Y and Gill BS (2011) A novel Robertsonian translocation event leads to transfer of a stem rust resistance gene (*Sr52*) effective against race Ug99 from *Dasyphyrum villosum* into bread wheat. *Theor Appl Genet.* 123: 159-167. doi:10.1007/s00122-011-1574-z
- Radhakrishnan, G.V., Cook, N.M., Bueno-Sancho, V., Lewis, C.M., Persoons, A., Mitiku, A.D., Heaton, M., Davey, P.E., Abeyo, B., Alemayehu, Y., Badebo, A., Barnett, M., Bryant, R., Chatelain, J., Chen, X., Dong, S., Henriksson, T., Holdgate, S., Justesen, A.F., Kalous, J., Kang, Z., Laczny, S., Legoff, J.-P., Lesch, D., Richards, T., Randhawa, H.S., Thach, T., Wang, M., Hovmøller, M.S., Hodson, D.P., Saunders, D.G.O., 2019. MARPLE, a point-of-care, strain-level disease diagnostics and surveillance tool for complex fungal pathogens. *BMC Biology* 17, 65. <https://doi.org/10.1186/s12915-019-0684-y>
- Rahmatov M, Garkava-Gustavsson L, Wanyera R, Steffenson B, Rouse M and Johansson E (2015) Stem Rust Resistance in 1BL.1RS and 2RL.2BS Double Wheat-Rye Translocation Lines. *Czech Journal of Genetics and Plant Breeding* 4:148-154. doi:10.17221/80/2015-CJGPB
- Rahmatov M, Hovmøller MS, Nazari K, Andersson SC, Steffenson BS, Johansson E (2017) Seedling and Adult Plant Stripe Rust Resistance in Diverse Wheat–Alien Introgression Lines. *Crop Sci.* 57:2032-2042. doi:10.2135/cropsci2016.08.0664
- Rahmatov M, Otambekova M, Muminjanov H, Rouse MN, Hovmøller MS, Nazari K, JKolmer JA, Steffenson BJ, Johansson E (2019) Characterization of Stem, Stripe and Leaf Rust Resistance in Tajik Bread Wheat Genotypes. *Euphytica* 215: 55. doi:10.1007/s10681-019-2377-6
- Rahmatov M, Rouse MN, Anderson S, Wanyera R, Pretorius ZA, Houben A, Nazari K, Bhavani S, Eva

DRRW / DGGW 2008-2019 Publications (Open Access)

- Johansson E (2016) Sources of stem rust resistance in Wheat-Allien Introgression lines. *Plant Disease* 100/6:1101-1109. [dx.doi.org/10.1094/PDIS-12-15-1448-RE](https://doi.org/10.1094/PDIS-12-15-1448-RE)
- Rahmatov M., Otambekova, M., Muminjanov, H., Rouse, M.N., Hovmøller, M.S., Nazari, K., Steffenson, B.J., Johansson, E. 2019. Characterization of stem, stripe and leaf rust resistance in Tajik bread wheat accessions. *Euphytica* 215, 55 (2019). <https://doi.org/10.1007/s10681-019-2377-6>.
- Rahmatov, M., Rouse, M. N., Nirmala, J., Danilova, T., Friebe, B., Steffenson, B. J., and Johansson, E. 2016. A new 2DS:2RL Robertsonian translocation transfers *Sr59* resistance to stem rust into wheat. *Theor. Appl. Genet.* doi:10.1007/s00122-016-2710-6
- Randhawa MS, Bansal UK, Valárik M, Klocová B, Doležel J, Bariana HS (2014) Molecular mapping of stripe rust resistance gene *Yr51* in chromosome 4AL of wheat. *Theor Appl Genet* 127:317–324
- Randhawa MS, Bariana HS, Mago R, Bansal UK (2015) Mapping of a new stripe rust resistance locus in chromosome 3BS of wheat. *Molecular Breeding* 35: 65
- Randhawa MS, Lan C, Basnet BR, Bhavani S, Huerta-Espino J, Forrest KL, Hayden MJ and Singh RP (2018) Interactions among genes *Sr2/Yr30*, *Lr34/Yr18/Sr57* and *Lr68* confer enhanced adult plant resistance to rust diseases in common wheat (*Triticum aestivum* L.) line 'Arula'. *Australian Journal of Crop Science* 12:1023-1033. doi:10.21475/ajcs.18.12.06.PNE1305
- Randhawa MS, Singh RP, Dreisigacker S, Bhavani S, Huerta-Espino J, Rouse MN, Nirmala J and Sandoval-Sanchez M (2018) Identification and validation of a common stem rust resistance locus in two bi-parental populations. *Front. Plant Sci.* 9:1788. doi:10.3389/fpls.2018.01788
- Randhawa, M.S., Bains, N.S., Sohu, V.S., Chhuneja, P., Trethowan, R.M., Bariana, H.S., Bansal, U. (2019) Marker assisted transfer of stripe rust and stem rust resistance genes into four wheat cultivars. *Agronomy Journal*, 9, 497; doi:10.3390/agronomy9090497.
- Randhawa, M.S., Bhavani, S., Huerta-Espino, J., Singh, R.P. 2019. Disease resistance in wheat: present status and future prospects. In: Wani S (Ed.) *Disease Resistance in Crop Plants: Molecular, Genetic and Genomic Perspectives*, Springer Nature, New York, pp 61-82.
- Rehman MU, Gale S, Brown-Guedira G, Jin Y, Marshall D, Witcher LW, Williamson S, Rouse M, Bhavani S, Hussain M, Ahmad G, Hussain M, Sial MA, JMirza JI, Rauf Y, Rattu AR, Qamar M, Khanzada KA, Munir A, Ward R, Singh R, Braun H and Imtiaz M (2018) Adult plant resistance to stem rust (*Puccinia graminis* f. sp. *tritici*) in Pakistani advanced lines and wheat varieties. *Australian Journal of Crop Science* 12:1633-1639. doi:10.21475/ajcs.18.12.10.p1226
- Ren Y, Hou W, Lan C, Basnet BR, Singh RP, Zhu W, Cheng X, Cui D, Chen F (2017) QTL analysis and nested association mapping for adult plant resistance to powdery mildew in two bread wheat populations. *Front. Plant Sci.* 8:1212 (1-10). doi:10.3389/fpls.2017.01212
- Ren Y, Singh RP, Basnet BR, Huerta-Espino J, Lagudah E, Ponce-Molina LJ, Lan C (2017) Identification and mapping of adult plant resistance loci to leaf rust and stripe rust in common wheat cultivar Kundan. *Plant Disease* 101:456-463. doi:10.1094/PDIS-06-16-0890-RE
- Reynolds MP, Braun HJ, Cavalieri AJ, Chapotin S, Davies WJ, Ellul P, Feuillet C, Govaerts B, Kropff MJ, Lucas H, Nelson J, Powell E, Quilligan E, Rosegrant MW, Singh RP, Sonder K, Tang H, Visscher S, Wang R (2017) Improving global integration of crop research field laboratories in realistic crop environments are needed. *Science* 357:359-360. doi:10.1126/science.aam8559

DRRW / DGGW 2008-2019 Publications (Open Access)

- Rosewarne, G, Singh, RP, Huerta-Espino J, Herrera-Foessel S, Forrest K, Hayden M, Rebetzke G (2012) Analysis of leaf and stripe rust severities reveals pathotype changes and multiple minor QTLs associated with resistance in an Avocet × Pastor wheat population. *Theor Appl Genet* 124:1283–1294
- Rosyara, U., Kishii, M., Payne, T., Sansaloni, C.P., Singh, R. P, Braun, H. J. and Dreisigacker, S. 2019. Genetic contribution of synthetic hexaploid wheat to CIMMYT's spring bread wheat breeding germplasm. *Nature Scientific Reports* 9:12355 | DOI:10.1038/s41598-019-47936-5
- Rouse M, Nava IC, Chao S, Anderson JA, Jin Y (2012) Identification of markers linked to the Ug99 stem rust resistance gene *Sr28* in wheat (*Triticum aestivum* L.). *Theor Appl Genet* 125(5):877-85. doi:10.1007/s00122-012-1879-6
- Rouse M, Nirmala J, Jin Y, Anderson JA, Chao S, Fetch TG, Pretorius ZA and Hiebert C (2014) Characterization of *Sr9h*, a wheat stem rust resistance allele effective to Ug99. *Theor Appl Genet* 127(8):1681-1688. doi:10.1007/s00122-014-2330-y
- Rouse M, Olson E, Gill B, Pumphrey M, Jin Y (in preparation) Characterization of Ae. tauschii for resistance to stem rust, including Ug99 (TTKSK) and other broadly virulent races. *Crop Science*
- Rouse MN and Jin Y (2011) Stem rust resistance in A-genome diploid relatives of wheat. *Plant Dis* 95:941-944
- Rouse MN, Jin Y (2011) Genetics of resistance to race TTKSK of *Puccinia graminis* f. sp. *tritici* in *Triticum monococcum*. *Phytopathology* 101:1418-1423
- Rouse MN, Olson E, Pumphrey M, Jin Y (2011) Stem rust resistance in *Aegilops tauschii* germplasm. *Crop Sci* 51:2074–2078
- Rouse MN, Talbert LE, Singh D and Sherman JD (2014) Complementary epistasis involving *Sr12* explains adult plant resistance to stem rust in Thatcher wheat (*Triticum aestivum* L.). *Theor Appl Genet* 127:1549-1559
- Rouse MN, Wanyera R, Njau P, Jin Y (2011) Sources of resistance to stem rust race Ug99 in spring wheat germplasm. *Plant Dis* 95:762-766
- Roy JK, Smith KP, Muehlbauer G J, Chao S, Close TM, Steffenson B J (2010) Association mapping of spot blotch resistance in wild barley. *Molecular Breeding* 26:243-256
- Royo C, Ammar K, Alfaro C, Dreisigacker S, García del Moral LF, Villegas D (2017) Effect of Ppd-1 photoperiod sensitivity genes on dry matter production and allocation in durum wheat. *Field Crops Research*. doi:10.1016/j.fcr.2017.06.005
- Ruiqi Z, Singh RP, Lillemo M, He X, Randhawa MS, Huerta-Espino J, Singh PK, Li Z, Lan C (2018) Two main stripe rust resistance genes identified in synthetic-derived wheat line Soru#1. *Phytopathology*. doi:10.1094/PHYTO-04-18-0141-R.
- Russell J, Dawson IK, Flavell AJ, Steffenson B, Weltzien E, Booth A, Ceccarelli S, Grandó S, Waugh, R (2011) Analysis of >1000 single nucleotide polymorphisms in geographically matched samples of landrace and wild barley indicates secondary contact and chromosome-level differences in diversity around domestication genes. *New Phytologist* 191:564–578

DRRW / DGGW 2008-2019 Publications (Open Access)

- Rutkoski J, Singh RP, Huerta-Espino J, Bhavani S, Poland J, Jannink JL and Sorrells ME (2015) Efficient use of historical data for genomic selection: a case study of stem rust resistance in wheat. *The Plant Genome* 8(1):1-10. doi:10.3835/plantgenome2014.09.0046
- Rutkoski JE, Poland J, Jannink JL and Sorrells ME (2012) Imputation of unordered markers and the impact on genomic selection accuracy. *Genetics* 3(3):427-39. doi:10.1534/g3.112.005363
- Rutkoski JE, Poland JA, Singh RP, Huerta-Espino, J, Bhavani, S, Barbier H, Rouse MN, Jannink JL and Sorrells ME (2014) Genomic selection for quantitative adult plant stem rust resistance in wheat. *The Plant Genome* 7(3):1-10. doi:10.3835/plantgenome2014.02.0006
- Rutkoski JE, Poland JA, Singh RP, Huerta-Espino, J, Bhavani, S, Barbier H, Rouse MN, Jannink JL and Sorrells ME, Scott JC, Manisterski J, Sela H, Ben-Yehuda P and Steffenson BJ (2014) Resistance of *Aegilops* species from Israel to widely virulent African and Israeli races of wheat stem rust pathogen. *Plant Dis* 98: 1309-1320
- Rutkoski, JE, Heffner EL, Sorrells ME (2011) Genomic selection for durable stem rust resistance in wheat. *Euphytica* 179:161–173
- Saini J, Faris JD, Zhang Q, Rouse MN, Jin Y, Long Y, Klindworth DL, Elias EM, McClean PE, Edwards MC, Xu SS (2018) Identification, mapping, and marker development of stem rust resistance genes in durum wheat 'Lebsock'. *Mol Breeding* 38:77.
- Sandhu K, Singh D and Park RF (2014). Characterising seedling and adult plant resistance to *Puccinia hordei* in *Hordeum vulgare*. *Annals of Applied Biology* 165: 117-129
- Sandhu KS, Forrest KL, Kong S, Bansal UK, Singh D, Hayden MJ, Park RF (2012). Inheritance and molecular mapping of a gene conferring seedling resistance against *Puccinia hordei* in the barley cultivar Ricardo. *Theor Appl Genet*. doi:10.1007/s00122-012-1921-8
- Sandhu KS, Karaoglu H, Zhang P, Park RF (2015) Simple sequence repeat markers support the presence of a single genotype of *Puccinia psidii* in Australia. *Plant Pathology*, doi:1111/ppa.12501
- Sandoval-Sánchez, M., Huerta-Espino, J., Singh, R.P., Randhawa, M.S., Rojas-Martínez, R.I., Benitez-Riquelme, I., Nava-Díaz, C. 2019. Partial and specific resistance to stem rust in the advanced bread wheat line 'Kijil'. *Rev Fitotec Mex* 42 (4): 411-418.
- Savary S, Andrew N, Sparks A, Willocquet L, Duveiller E, Mahuku G, Forbes G, Garrett K, Hodson D, Padgham J, Pande S, Sharma M, Yuen J, Djurle A (2011) International agricultural research tackling the effects of global and climate changes on plant diseases in the developing world. *Plant Disease* 95:1204–1216. doi:10.1094/PDIS-04-11-0316
- Scott JC, Manisterski, J, Sela H., Ben-Yehuda P and Steffenson BJ (2014) Resistance of *Aegilops* species from Israel to widely virulent African and Israeli races of the wheat stem rust pathogen. *Plant Disease*. 98:1309-1320
- Sehgal D, Autrique E, Singh R, Ellis M, Singh S, Dreisigacker S (2017) Identification of genomic regions for grain yield and yield stability and their epistatic interactions. *Scientific Reports* 7:41578 (p1-12). doi:10.1038/srep41578
- Sehgal D., Mondal, S., Guzman, C., Garcia Barrios, G., Franco, C., Singh, R. and Dreisigacker, S. 2019. Validation of candidate gene-based markers and identification of novel loci for thousand-grain weight in spring bread wheat. *Front. Plant Sci.* 10:1189. DOI:10.3389/fpls.2019.01189

DRRW / DGGW 2008-2019 Publications (Open Access)

- Sehgal, D., Rosyara, U., Mondal, S., Singh, R., Poland, J. and Dreisigacker, S. 2020. Incorporating genome-wide association mapping results into genomic prediction models for grain yield and yield stability in CIMMYT spring bread wheat. *Frontiers in Plant Science* 11(197). DOI: 10.3389/fpls.2020.00197
- Shamanin VP, Pototskaya IV, Shepelev SS, Pozherukova VE and Morgounov AI (2018) Root habitus and plant productivity of spring bread wheat synthetic lines in western siberia, as connected with breeding for drought tolerance. *Sel'skokhozyaistvennaya Biologiya – Agricultural Biology*, 53 (3), pp. 587-597. doi:10.15389/agrobiology.2018.3.587eng.
- Shamanin VP, Pototskaya IV, Shepelev SS, Pozherukova VE, Morgounov AI (2017) The phenotyping of synthetic wheat with *Aegilops tauschii* genome in the conditions of southern forest-steppe of Western Siberia. *Asian Journal of Microbiol. Biotech. Env. Sc.*, 19:153-159*
- Sharma I, Saharan MS and Bhardwaj SC (2015) An update on wheat stripe rust management in India: A success story. *Research Bulletin* 35: P 27
- Sharma RC, Crossa J, Velu G, Huerta-Espino J, Vargas M, Payne TS, Singh RP (2012) Genetic gains for grain yield in CIMMYT spring bread wheat across international environments. *Crop Sci* 52:1522–1533
- Sharma, A. K., Saharan, M. S., Bhardwaj, S. C., Prashar, M., Chatrath, R., Tiwari, V., Singh, Mangal and Sharma, Indu. 2015. Evaluation of wheat (*Triticum aestivum*) germplasm and varieties against stem rust (*Puccinia graminis* f. sp. *tritici*) pathotype Ug99 and its variants. *Indian Phytopathology* Vol 62 (2): 134-138
- Sharma, J. S., Zhang, Q., Rouse, M. N., Klindworth, D. L., Friesen, T. L., Long, Y., Olivera, P. D., Jin, Y., McClean, P. E., Xu, S. S., Faris, J. D. 2019. Mapping and characterization of two stem rust resistance genes derived from cultivated emmer wheat accession PI 193883. *Theoretical and Applied Genetics* 132: 3177-3189.
- Shi G, Zhang Z, Friesen TL, Bansal U, Cloutier S, Rasmussen JB, Faris JD (2015) Marker development, saturation mapping, and high-resolution mapping of the *Septoria nodorum* blotch susceptibility gene Snn3-B1 in wheat. *Mol Genetics & Genomics* 291:107-119
- Simons K, Abate Z, Chao S, Zhang W, Rouse M, Jin Y, Elias E and Dubcovsky J (2011) Genetic mapping of stem rust resistance gene Sr13 in tetraploid wheat (*Triticum turgidum* spp. *durum* L.). *Theor Appl Genet* 122:649–658
- Singh A, Knox RE, DePauw RM, Singh AK, Cuthbert RD, Campbell HL, Singh D, Bhavani S, Fetch T and Clarke F (2013) Identification and mapping in spring wheat of genetic factors controlling stem rust resistance and the study of their epistatic interactions across multiple environments. *Theor Appl Genet* 127(4):1005-8. doi:10.1007/s00122-013-2109-6
- Singh A, Pandey MP, Singh AK, Knox RE, Ammar K, Clarke JM, Clarke FR, Singh RP, Pozniak CJ, Depauw RM, McCallum BD, Cuthbert RD, Randhawa HS and Fetch TG Jr. (2013) Identification and mapping of leaf, stem and stripe rust resistance quantitative trait loci and their interactions in durum wheat. *Mol Breeding* 31:405–418. doi:10.1007/s11032-012-9798-4

* Not yet open access

DRRW / DGGW 2008-2019 Publications (Open Access)

- Singh B, Bansal UK, Miah H, Gill MB, Bariana HS (2014) Postulation of seedling resistance genes and assessment of adult plant response variation for stripe rust in three CIMMYT wheat nurseries. *Indian J Genet* 74:1-9
- Singh D, Dracatos P, Derevnina L, Zhou M, Park R (2015) *Rph23*: A new designated additive adult plant resistance gene to leaf rust in barley on chromosome 7H. *Plant Breeding* 134:62–69
- Singh D, Mohler VM, Park RF (2013). Discovery, characterisation and mapping of wheat leaf rust resistance gene *Lr71*. *Euphytica*. 190(1):131-1360
- Singh PK, Crossa J, Duveiller E, Singh RP and Djurle A (2016) Association mapping for resistance to tan spot induced by *Pyrenophora tritici-repentis* race 1 in CIMMYT's historical bread wheat set. *Euphytica* 207:515-525. doi:10.1007/s10681-015-1528-7
- Singh PK, Singh RP, Duveiller E, Mergoum M, Adhikari TB, Elias EM (2010) Genetics of wheat–*Pyrenophora tritici-repentis* interactions. *Euphytica*. 171:1(1-13)
- Singh PK, Zhang Y, He X, Singh RP, Chand R, Mishra VK, Malaker PK, Reza MA, Rahman MM, Islam R, Chowdhury AK, Bhattacharya PM, Kalappanavar IK, Crossa J and Joshi AK (2015) Development and characterization of the 4th CSISA-spot blotch nursery of bread wheat. *Eur. J. Plant Pathol.* 143:595-605 doi:10.1007/s10658-015-0712-x
- Singh RP, Herrera-Foessel S, Huerta-Espino J, Singh S, Bhavani S, Lan C and Basnet BR (2014) Progress towards genetics and breeding for minor genes based resistance to Ug99 and other rusts in CIMMYT high-yielding spring wheat. *Journal of Integrative Agriculture* 13(2): 255-261. doi:10.1016/S2095-3119(13)60649-8
- Singh RP, Hodson DP, Huerta-Espino J, Jin Y, Bhavani S, Njau P, Herrera-Foessel SA, Singh P, Singh S, Govindan V (2011) The emergence of Ug99 races of the stem rust fungus is a threat to world wheat production. *Ann Rev Phytopath* 49:465-481
- Singh RP, Hodson DP, Jin Y, Lagudah ES, Ayliffe MA, Bhavani S, Rouse MN, Pretorius ZA, Szabo LJ, Huerta-Espino J, Basnet BR, Lan C, Hovmøller MS (2015). Emergence and Spread of New Races of Wheat Stem Rust Fungus: Continued Threat to Food Security and Prospects of Genetic Control. *Phytopathology* 105: 872-884
- Singh RP, Huerta-Espino J, Bhavani S, Herrera-Foessel SA, Singh D, Singh PK, Velu, G, Mason RE, Jin Y, Njau P, Crossa J (2011) Race-nonspecific resistance to rusts in CIMMYT spring wheats. *Euphytica* 179:175–186. doi:10.1007/s10681-010-0322-9
- Singh S, Vikram P, Sehgal D, Burgueño J, Sharma A, Singh SK, Sansaloni CP, Joynson R, Brabbs T, Ortiz C, Solis-Moya E, Govindan V, Gupta N, Sidhu HS, Basandrai AK, Basandrai D, Ledesma-Ramires L, Suaste-Franco MP, Fuentes-Dávila G, Moreno JI, Sonder K, Singh VK, Singh S, Shokat S, Arif MAR, Laghari KA, Srivastava P, Bhavani S, Kumar S, Pal D, Jaiswal, JP, Kumar U, Chaudhary HK, Crossa J, Payne TS, Imtiaz M, Sohu VS, Singh GP, Bains NS, Hall A, Pixley KV (2018) Harnessing genetic potential of wheat germplasm banks through impact-oriented-prebreeding for future food and nutritional security. *Scientific Reports* 8 1, 12527. doi:10.1038/s41598-018-30667-4
- Singh, D., Wang, X., Kumar, U., Gao, L., Noor, M., Imtiaz, M., Singh, R. P. and Poland, J. 2019. High-throughput phenotyping enabled genetic dissection of crop lodging in wheat. *Frontiers in Plant Science* 10(394). DOI: 10.3389/fpls.2019.00394

DRRW / DGGW 2008-2019 Publications (Open Access)

- Siyoum G.Z., Zeng Q., Zhao, J. Chen X., Badebo A., Tian Y., Huang L., Kang Z., and Zhan G. 2019. Inheritance of virulence and linkages of virulence genes in an Ethiopian isolate of the wheat stripe rust pathogen (*Puccinia striiformis* f. sp. *tritici*) Determined Through Sexual Recombination on *Barberis holstii*. *Plant Disease* 103:2451-2459.
- Smit HA, Tolmay VL, Barnard A, Jordaan JP, Koekemoer FP, Otto WM, Pretorius ZA, Purchase JL, Tolmay JPC (2010) An overview of the context and scope of wheat (*Triticum aestivum*) research in South Africa from 1983 to 2008. *South African Journal of Plant and Soil* 27(1): 81-96
- Sohail Y, Bansal UK, Bariana HS, Chhuneja P, Mumtaz A, Rattu A, Trethowan R (2014) Identification of an *Lr28*-linked co-dominant molecular marker in wheat. *AJCS* 8(8):1210-1215
- Steffenson B, Jin Y, Brueggeman RS, Kleinhofs A, Sun Y (2009) Resistance to Stem Rust Race TTKSK Maps to the *Rpg4/Rpg5* Complex of Chromosome 5H of Barley. *Phytopathology*, 99, 1135-41
- Steffenson BJ, Case AJ, Pretorius ZA, Coetzee V, Kloppers FJ, Zhou H, Chai Y, Wanyera R, Macharia G, Bhavani S (2017) Vulnerability of Barley to African Pathotypes of *Puccinia graminis* f. sp. *tritici* and Sources of Resistance. *Phytopathology* 107(8):950-962. doi:10.1094/PHYTO-11-16-0400-R
- Steffenson BJ, Solanki S and Brueggeman RS (2016) Landraces from mountainous regions of Switzerland are sources of important genes for stem rust resistance in barley. *Alpine Bot.* 126:23-33. doi:10.1007/s00035-015-0161-3
- Steuernagel B, Periyannan S, Hernandez-Pinzon I, Witek K, Rouse M, Yu Guotai, Hatta A, Ayliffe M, Bariana H, Jones J, Lagudah E, Wulff B (2016). Rapid cloning of disease-resistance genes in plants using mutagenesis and sequence capture. *Nature Biotechnology* 34, 652–655. doi:10.1038/nbt.3543
- Sun J, Rutkoski JE, Poland JA, Crossa J, Jannink JL, Sorrells ME (2017) Multitrait, random regression, or simple repeatability model in high-throughput phenotyping data improve genomic prediction for wheat grain yield. *The Plant Genome* 10(2). doi:10.3835/plantgenome2016.11.0111
- Sun, J., Poland, J. A., Mondal, S., Crossa, J., Juliana, P., Singh, R. P., Rutkoski, J. E, Jannink, J.-L., Crespo-Herrera, L., Velu, G., Huerta-Espino, J. and Sorrells, M. E. 2019. High-throughput phenotyping platforms enhance genomic selection for wheat grain yield across populations and cycles in early stage. *Theoretical and Applied Genetics* 132(6): 1705-1720. DOI: 10.1007/s00122-019-03309-0
- Szabo LJ, Cuomo C, Park RF (2014) The stem rust pathogen of grasses, *Puccinia graminis*. In *Genomics of Plant-associated Fungi and Oomycetes* (ed R. A. Dean) Springer, pp. 177-196
- Szabo-Hever A, Zhang Q, Friesen TL, Zhong S, Elias EM, Cai X, Jin Y, Faris JD, Chao S, and Xu SS (2018) Genetic diversity and resistance to Fusarium head blight in synthetic hexaploid wheat derived from *Aegilops tauschii* and diverse *Triticum turgidum* subspecies. *Front. Plant Sci.* 11 December 2018. doi:10.3389/fpls.2018.01829
- Szabo-Hever A, Zhang Q, Friesen TL, Zhong S, Elias EM, Cai X, Jin Y, Faris JD, Chao S, and Xu SS (2018) Genetic diversity and resistance to Fusarium head blight in synthetic hexaploid wheat derived from *Aegilops tauschii* and diverse *Triticum turgidum* subspecies. *Front. Plant Sci.* 11 December 2018. doi:10.3389/fpls.2018.01829
- Tadesse W, Abdalla O, Ogonnaya F, Nazari K, Tahir I, Baum M (2012) Agronomic performance of elite stem rust resistant spring wheat genotypes and association among trial sites in the Central and West Asia and North Africa Region. *Crop Sci* 52:1105-1114

DRRW / DGGW 2008-2019 Publications (Open Access)

- Tadesse W, Ogbonnaya FC, Jighly A, Nazari K, Rajaram S and Baum M (2014). Association Mapping of Resistance to Yellow Rust in Winter Wheat Cultivars and Elite Genotypes. *Crop Sci* (54)2:607-616 doi:10.2135/cropsci2013.05.0289
- Talajoor M, Jin Y, Wan A, Chen X, Bhavani S, Tabe L, Lagudah ES and Huang L (2015) Specificity of a rust resistance suppressor on 7DL in the spring wheat cultivar Canthatch. *Phytopathology* 105:477-481
- Terefe T, Visser B, Herselman L, Prins R, Negussie T, Kolmer JA and Pretorius ZA (2014) Diversity in *Puccinia triticina* detected on wheat from 2008 to 2010 and the impact of new races on South African wheat germplasm. *Eur. J. Plant Pathol.* 139:95-105. doi:10.1007/s10658-013-0368-3
- Terefe T, Visser B, Herselman L, Selinga T and Pretorius ZA (2014) First Report of *Puccinia triticina* (Leaf Rust) Race FBPT on Wheat in South Africa. *Plant Disease* 98:1001. doi 10.1094/PDIS-12-13-1195-PDN
- Terefe TG, Pretorius ZA, Naicker K, Meyer L (2010) Occurrence and pathogenicity of *Puccinia graminis* f. sp. *tritici* on wheat in South Africa in 2007 and 2008. *South African Journal of Plant and Soil* 27(2) 163-167
- Terracciano I, Maccaferri M, Bassi F, Mantovani P, Sanguineti MC, Šimková SSH, Doležel J, Massi A, Ammar K, Kolmer J, Tuberosa R (2013) Development of COS-SNP and HRM markers for cost efficient and reliable haplotype-based detection of *Lr14a* in durum wheat (*Triticum durum* Desf.). *Theor Appl Genet* 126(4):1077-101. doi:10.1007/s00122-012-2038-9
- Tesfaye T., Badebo, A. and Dejene, M. 2020. Characterization of wheat leaf rust pathogen (*Puccinia triticina*) in some parts of Ethiopia and seedling evaluation of durum wheat (*Triticum turgidum*) cultivars to the pathogen. *Afr. J. Agric. Res*, Vol. 15(2), pp. 291-296, DOI: 10.5897/AJAR2019.14026
- Tesfaye, T., Chala, A., Shikur E., Hodson D., and Szabo, L. J. 2019. First Report of TTRTF Race of Wheat Stem Rust, *Puccinia graminis* f. sp. *tritici*, in Ethiopia. *Plant Disease* 194:293. Published Online. <https://doi.org/10.1094/PDIS-07-19-1390-PDN>
- Tobias PA, Park RF, Külheim C, Guest DI (2015). Wild-sourced *Chamelaucium uncinatum* have no resistance to *Puccinia psidii* (myrtle rust). *Australasian Plant Disease Notes* 10: 15. doi:10.1007/s13314-015-0167-0
- Tsilo TJ, Jin Y, Anderson JA (2010) Disease resistance. Stem rust resistance: *Sr36*. MASWheat, University of California, Davis URL <http://maswheat.ucdavis.edu/protocols/Sr36/index.htm>
- Tsilo TJ, Jin Y, Anderson JA (2010) Identification of flanking markers for the stem rust resistance gene *Sr6* in wheat. *Crop Science* 50:1967-1970
- Turner MK, Jin Y, Rouse MN, and Anderson JA (2016) Stem rust resistance in 'Jagger' winter wheat. *Crop Sci* 56(4). doi:10.2135/cropsci2015.11.0683
- Ui H, Sameri M, Pourkheirandish M, Chang M. C, Shimada H, Stein N, Komatsuda T, Handa H. (2015) High-resolution genetic mapping and physical map construction for the fertility restorer *Rfm1* locus in barley. *Theoretical and Applied Genetics* 128:283-290
- Upadhyaya NM, Garnica DP, Karaoglu H, Sperschneider J, Nemri A, Xu B, Mago R, Cuomo C, Rathjen JP, Park RF, Ellis JG, Dodds PN (2015) Comparative genomics of Australian isolates of *Puccinia graminis* f. sp. *tritici* reveals extensive polymorphism in candidate effector genes. *Frontiers in Plant Science* 5: article 759, doi:10.3389/fpls.2014.00759

DRRW / DGGW 2008-2019 Publications (Open Access)

- Vazquez MD, Peterson CJ, Riera-Lizarazu O, Chen X, Heesacker A, Ammar K, Crossa J, Mundt C (2012) Genetic analysis of adult plant, quantitative resistance to stripe rust in wheat cultivar Stephens in multi-environment trials. *Theor Appl Genet* 124(1):1-11
- Velu G, Singh RP, Crespo-Herrera L, Juliana P, Dreisigacker S, Valluru R, Stangoulis J, Sohu VS, Mavi GS, Mishra VK, Balasubramaniam A, Chatrath R, Gupta V, Singh GP and Joshi AK (2018) Genetic dissection of grain zinc concentration in spring wheat for mainstreaming biofortification in CIMMYT wheat breeding. *Nature Scientific Reports* 8:13526. doi:10.1038/s41598-018-31951-z
- Visser B, Herselman L and Pretorius ZA (2009) Genetic comparison of Ug99 with selected South African races of *Puccinia graminis* f.sp. *tritici*. *Molecular Plant Pathology*, 10, 213-22
- Visser B, Herselman L, Bender CM, Pretorius ZA (2012) Microsatellite analysis of selected *Puccinia triticina* races in South Africa. *Australasian Plant Pathology* 41:165-171. doi:10.1007/s13313-011-0104-4
- Visser B, Herselman L, Park RF, Karaoglu H, Bender CM, Pretorius ZA (2011) Characterization of two new *Puccinia graminis* f. sp. *tritici* races within the Ug99 lineage in South Africa. *Euphytica* 179:119-127. doi:10.1007/s10681-010-0269-x
- Visser, B., Meyer, M., Park, R.F., Gilligan, C., Burgin, L., Hort, M.C., Hodson, D., Pretorius, Z.A., 2019. Microsatellite analysis and urediniospore dispersal simulations support the movement of *Puccinia graminis* f. sp. *tritici* from southern Africa to Australia. *Phytopathology* 109, 133-144. <https://doi.org/10.1094/PHYTO-04-18-0110-R>
- Voegele RT and Mendgen KW (2011) Nutrient uptake in rust fungi: how sweet is parasitic life? *Euphytica* 179:41–55
- Wamalwa MN, Wanyera R, Njau PN, Okiror MA and Owuoche J (2016) Inheritance of resistance to Ug99 stem rust pathogen in selected barley lines. *South African Journal of Plant and Soil* 33(3). doi:10.1080/02571862.2015.1113446
- Wamalwa, M.N, Owuoche J., Ogendo J., and Wanyera, R. 2019. Multi-Pathotype Testing of Selected Kenyan Wheat Germplasm and Watkin Landraces for Resistance to Wheat Stripe Rust (*Puccinia striiformis* f. Sp *tritici*) Races. *Agronomy* 9: 770; doi:10.3390/agronomy 9110770
- Wan A, Muleta K, Zegeye H, Hundie B, Pumphrey M, Chen X (2016) Virulence Characterization of Wheat Stripe Rust Fungus *Puccinia striiformis* f. sp. *tritici* in Ethiopia. *Plant Disease*. dx.doi.org/10.1094/PDIS-03-16-0371-RE
- Wang X, Richards J, Gross T, Druka A, Kleinhofs A, Steffenson B, Acevedo M, Brueggeman R (2013) The rpg4-mediated resistance to wheat stem rust (*Puccinia graminis*) in barley (*Hordeum vulgare*) requires *Rpg5*, a second NBS-LRR gene and an actin depolymerization factor. *Mol Plant-Microb Interact*. 26(4):407-18. doi:10.1094/MPMI-06-12-0146-R
- Wang X, Wang X, Deng L, Chang H, Dubcovsky J, Feng H, Han Q, Huang L and Kang Z (2014) Wheat TaNPSN SNARE homologues are involved in vesicle-mediated resistance to stripe rust (*Puccinia striiformis* f. sp. *tritici*). *J. Exp. Botany*. doi:10.1093/jxb/eru241
- Wang, X., Amos, C., Lucas, M., Williams, G. and Poland, J. 2019. Small plot identification from video streams for high-throughput phenotyping of large breeding populations with unmanned aerial systems. *Autonomous Air and Ground Sensing Systems for Agricultural Optimization and Phenotyping IV*, International Society for Optics and Photonics.

DRRW / DGGW 2008-2019 Publications (Open Access)

- Wang, X., Xuan, H., Evers, B., Shrestha, S., Pless, R. and Poland, J. 2019. High-throughput phenotyping with deep learning gives insight into the genetic architecture of flowering time in wheat. *GigaScience* 8(11). DOI: 10.1093/gigascience/giz120
- Wanyera R, Wamalwa M, Odemba M, Wanga H, Kinyanjui P, Onyango V, Owuochi J (2016) Management of wheat rusts at different growth stages using Nativo 300 SC (trifloxystrobin 100g/L+tebuconazole 200g/L) fungicide. *AJCS* 10(9):1273-1280. doi10.21475/ajcs.2016.10.09.p7676
- Wellings CR (2011) Global status of stripe rust: a review of historical and current threats. *Euphytica* 179:129–141
- Wolday A, Fetch Jr T, Hodson D, Cao W, Briere S (2011) First report of *Puccinia graminis* f. sp. *tritici* races with virulence to wheat stem rust resistance genes *Sr31* and *Sr24* in Eritrea. *Plant Disease* doi:10.1094/PDIS-07-11-0582
- Worku D (2014) Resistance to TTKSK and TTTSK races of *Puccinia graminis* f. sp. *tritici* in Ethiopian tetraploid wheat accessions. *Journal of Biology, Agriculture and Healthcare* 4 (8): 48-53
- Worku T, Zerihun T, Daniel K, Habtemariam HZ, Dawit A and Wanyera R (2016) Development of wheat germplasm for stem rust resistance in eastern Africa. *African Crop Science Journal* 24:25-33
- Wu SY, Pumphrey M and Bai GH (2009) Molecular Mapping of Stem-Rust-Resistance Gene *Sr40* in Wheat. *Crop Science* 49:1681-6
- Xu SS, Jin Y, Klindworth DL, Wang RRC, Cai X (2009) Evaluation and characterization of seeding resistance to stem rust Ug99 races in wheat-alien species derivatives. *Crop Science* 49(6):2167-2175. doi:10.2135/cropsci2009.02.0074
- Xue S, Kolmer JA, Wang S, and Yan, L (2018) Mapping of leaf rust resistance genes and molecular characterization of the 2NS/2AS translocation in the wheat cultivar Jagger. *G3: Genes, Genomes, Genetics* 8-6:2059-2065. doi:10.1534/g3.118.200058
- Yaniv E, Raats D, Ronin Y, Korol AB, Grama A, Bariana HS, Dubcovsky J, Schulman A, Fahima T (2015) Evaluation of marker-assisted selection for the stripe rust resistance gene *Yr15*, introgressed from wild emmer wheat. *Molecular Breeding* 35:43
- Yin C and Hulbert S (2011) Prospects for functional analysis of effectors from cereal rust fungi. *Euphytica* 179:57–67
- Yu G, Zhang Q, Friesen TL, Rouse MN, Jin Y, Zhong S, Rasmussen JB, Lagudah ES, Xu SS (2015) Identification and mapping of *Sr46* from *Aegilops tauschii* accession Clae 25 conferring resistance to race TTKSK (Ug99) of wheat stem rust pathogen. *Theor Appl Genet* 128(3):431-43. doi:10.1007/s00122-014-2442-4
- Yu G, Zhang Q, Klindworth D, Friesen T, Knox R, Jin Y, Zhong S, Cai X, Xu S (2010) Molecular and cytogenetic characterization of *Aegilops speltoides* chromosome segments carrying *Sr39* in the original translocation stock and derived wheat lines. *Crop Science* 50:1393-1400
- Yu L-X, Barbier H, Rouse MN, Singh S, Singh RP, Bhavani S, Huerta-Espino J and Sorrells ME (2014) A consensus map for Ug99 stem rust resistance loci in wheat. *Theoretical and Applied Genetics Theor Appl Genet* 127:1561–1581 doi:10.1007/s00122-014-2326-7

DRRW / DGGW 2008-2019 Publications (Open Access)

- Yu L-X, Chao S, Singh RP, Sorrells ME (2017) Identification and validation of single nucleotide polymorphic markers linked to Ug99 stem rust resistance in spring wheat. PLoS ONE 12: e0171963. doi:10.1371/journal.pone.0171963
- Yu L-X, Liu S, Anderson JA, Singh RP, Jin Y, Dubcovsky J, Lagudah ES, Bhavani S, Morgounov A, He Z, Huerta-Espino J, Sorrells ME (2010) Haplotype diversity of stem rust resistance loci in uncharacterized wheat lines. Molecular Breeding 26:667–680, doi:10.1007/s11032-010-9403-7
- Yu L-X, Lorenz A, Rutkoski J, Singh RP, Bhavani S, Huerta-Espino J, Sorrells ME (2011) Association mapping and gene–gene interaction for stem rust resistance in CIMMYT spring wheat germplasm. Theor. Appl. Genet. 123:1257-1268. doi:10.1007/s00122-011-1664-y
- Yu L-X, Morgounov A, Wanyera R, Keser M, Singh SK and Sorrells M (2012) Identification of Ug99 resistance loci in winter wheat germplasm using genome-wide association analysis. Theor Appl Genet 125:749-758, doi:10.1007/s00122-012-1867-x
- Yu L-X, Sorrells M and Brown-Guedira G (2010) Disease resistance. Stem rust resistance: *Sr22*. MASWheat, University of California, Davis. <http://maswheat.ucdavis.edu/protocols/Sr22/index.htm>
- Yu L-X, Sorrells M and Dubcovsky J (2010) Disease resistance. Stem rust resistance: *Sr25*. MASWheat, University of California, Davis. <http://maswheat.ucdavis.edu/protocols/Sr25/index.htm>
- Yuan, C., Singh, R.P., Liu, D., Randhawa, M.S., Huerta-Espino, J., Lan, C. (2019) Genome-wide mapping of adult plant resistance to leaf rust and stripe rust in CIMMYT wheat line ‘Arableu#1’. Plant Disease <https://doi.org/10.1094/PDIS-10-19-2198-RE>
- Yuannin C and Wanquan C (2010) Stepwise shift of differential hosts and racial designation of *Puccinia graminis* f. sp. *Triticum*, Journal of Triticeae Crops 30(1): 167-172
- Zeng J, Cao W, Fedak G, Sun S, McCallum B, Fetch T, Xue A and Zhou Y (2013) Molecular cytological characterization of two novel durum–Thinopyrum intermedium partial amphiploids with resistance to leaf rust, stem rust and Fusarium headblight. Hereditas 150:10–16
- Zhang R., Singh, R. P., Lillemo, M., He, X., Randhawa, M. S., Huerta-Espino, J., Singh, P. K., Li, Z. and Lan, C. 2019. Two main stripe rust resistance genes identified in synthetic- derived Wheat line Soru#1. Phytopathology 109:120-126. DOI:10.1094/PHYTO-04-18-0141-R
- Zhang W and Dubcovsky J (2010) Disease resistance. Stem rust resistance: *Sr13*. MASWheat, University of California, Davis. <http://maswheat.ucdavis.edu/protocols/Sr13/index.htm>
- Zhang W, Olson E, Rouse M, Abate Z, Jin Y, Pumphrey M, Dubcovsky J (2010) Genetic maps of stem rust resistance gene *Sr35* in diploid and hexaploid wheat. Crop Sci 50:2464–2474
- Zhang W, Pumphrey M, Dubcovsky J (2010) Disease resistance. Stem rust resistance: *Sr35*. MASWheat, University of California, Davis. <http://maswheat.ucdavis.edu/protocols/Sr35/index.htm>
- Zheng Q, Klindworth DL, Friesen TL, Liu AF, Li ZS, Zhong S, Jin Y and Xu SS (2014) Characterization of *Thinopyrum* species for wheat stem rust resistance and ploidy level. Crop Sci 54(6):2663-2672
- Zheng, Q, Lv ZL, Niu Z, Li B, Li HW, Xu SS, Han FP and Li ZS (2014) Molecular cytogenetic characterization and stem rust resistance of five wheat-*Thinopyrum ponticum* partial amphiploids. J Genet Genomics 41(11):591-9. doi:10.1016/j.jgg.2014.06.003

DRRW / DGGW 2008-2019 Publications (Open Access)

- Zhu H, Wang Z, Wu L, Singh RP, Huerta-Espino J, He Z, Hu J, Chen F, Xia X (2010) QTL Mapping for adult-plant resistance to stripe rust in wheat cultivar Chuanmai 107. *Scientia Agricultura Sinica* 43:706-712
- Ziyaev ZM, Sharma RC, Nazari K, Morgounov AI, Amanov AA, Ziyadullaev ZF, Khalikulov ZI, Alikulov SM (2011) Improving wheat stripe rust resistance in Central Asia and the Caucasus. *Euphytica* 179:197–207
- Zurn JD, Rouse MN, Chao S, Aoun M, Macharia G, Hiebert CW, Pretorius ZA, Bonman JM, Acevedo M (2018) Dissection of the multigenic wheat stem rust resistance present in the Montenegrin spring wheat accession PI 362698. *BMC Genomics* 19:67.
- Zurn, JD, Newcomb MS, Rouse M, Jin Y, Chao S, Stehapat J, See DR, Wanyera T, Njau P, Bonman JM, Brueggeman R and Acevedo M (2014) High density mapping of a resistance gene to Ug99 from an Iranian landrace PI 626573. *Mol Breeding* 34:871-881. doi:10.1007/s11032-014-0081-8